

Table 9--Relative Case-Mix Weights Corresponding to Home Health Effective 10/1/2000

LOUISIANA

Standardized PPS Rate	100.000%	<b>2,115.30</b>													
Labor Portion	77.668%	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91
Wage Index		<b>0.7382</b>	<b>0.7870</b>	<b>0.8708</b>	<b>0.8737</b>	<b>0.8340</b>	<b>0.7967</b>	<b>0.8222</b>	<b>0.9090</b>	<b>0.9050</b>					
Wage Adjusted Labor		1,212.80	1,292.97	1,430.65	1,287.55	1,370.19	1,308.91	1,350.80	1,493.41	1,486.83					
Non Labor Portion	22.332%	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39					
Wage Adjusted Standardized PPS Rate		<b>1,685.19</b>	<b>1,765.36</b>	<b>1,903.04</b>	<b>1,759.94</b>	<b>1,842.58</b>	<b>1,781.30</b>	<b>1,823.19</b>	<b>1,965.80</b>	<b>1,959.22</b>					

Group	HHRG description			Case Mix Weight	(5) Louisiana R	(6) Alexandria	(7) Baton Rouge	(8) Houma	(9) Lafayette	(10) Lake Charles	(11) Monroe	(12) New Orleans	(13) Shreveport	#
	Clinical	Functional	Service											
1	C0F0S0	0 Min	0 Min	0.5265	887.25	929.46	1,001.95	926.61	970.12	937.85	959.91	1,034.99	1,031.53	
2	C0F0S1	0 Min	1 Low	0.6074	1,023.58	1,072.28	1,155.90	1,068.99	1,119.18	1,081.96	1,107.41	1,194.02	1,190.03	
3	C0F0S2	0 Min	2 Mod	1.4847	2,502.00	2,621.03	2,825.44	2,612.98	2,735.67	2,644.69	2,706.89	2,918.62	2,908.86	
4	C0F0S3	0 Min	3 High	1.7364	2,926.16	3,065.37	3,304.43	3,055.96	3,199.45	3,093.04	3,165.79	3,413.41	3,402.00	
5	C0F1S0	0 Min	1 Low	0.6213	1,047.01	1,096.82	1,182.36	1,093.45	1,144.79	1,106.72	1,132.75	1,221.35	1,217.27	
6	C0F1S1	0 Min	1 Low	0.7022	1,183.34	1,239.64	1,336.31	1,235.83	1,293.86	1,250.83	1,280.24	1,380.38	1,375.77	
7	C0F1S2	0 Min	1 Low	1.5796	2,661.92	2,788.56	3,006.04	2,780.00	2,910.53	2,813.74	2,879.91	3,105.17	3,094.79	
8	C0F1S3	0 Min	1 Low	1.8313	3,086.08	3,232.90	3,485.03	3,222.98	3,374.31	3,262.09	3,338.81	3,599.96	3,587.93	
9	C0F2S0	0 Min	2 Mod	0.7249	1,221.59	1,279.71	1,379.51	1,275.78	1,335.68	1,291.26	1,321.63	1,425.00	1,420.24	
10	C0F2S1	0 Min	2 Mod	0.8058	1,357.92	1,422.53	1,533.47	1,418.16	1,484.75	1,435.37	1,469.13	1,584.04	1,578.74	
11	C0F2S2	0 Min	2 Mod	1.6831	2,836.34	2,971.28	3,203.00	2,962.15	3,101.24	2,998.10	3,068.61	3,308.63	3,297.57	
12	C0F2S3	0 Min	2 Mod	1.9348	3,260.50	3,415.62	3,681.99	3,405.13	3,565.02	3,446.45	3,527.51	3,803.42	3,790.71	
13	C0F3S0	0 Min	3 High	0.7629	1,285.63	1,346.79	1,451.83	1,342.66	1,405.70	1,358.95	1,390.91	1,499.71	1,494.69	
14	C0F3S1	0 Min	3 High	0.8438	1,421.96	1,489.61	1,605.78	1,485.04	1,554.77	1,503.06	1,538.41	1,658.74	1,653.19	
15	C0F3S2	0 Min	3 High	1.7212	2,900.54	3,038.54	3,275.51	3,029.21	3,171.44	3,065.97	3,138.08	3,383.53	3,372.22	
16	C0F3S3	0 Min	3 High	1.9728	3,324.53	3,482.70	3,754.31	3,472.01	3,635.04	3,514.14	3,596.79	3,878.12	3,865.16	
17	C0F4S0	0 Min	4 Max	0.9305	1,568.07	1,642.67	1,770.77	1,637.62	1,714.52	1,657.50	1,696.48	1,829.17	1,823.06	
18	C0F4S1	0 Min	4 Max	1.0114	1,704.40	1,785.49	1,924.73	1,780.00	1,863.58	1,801.60	1,843.97	1,988.21	1,981.56	
19	C0F4S2	0 Min	4 Max	1.8887	3,182.81	3,334.24	3,594.26	3,324.00	3,480.07	3,364.33	3,443.46	3,712.80	3,700.39	
20	C0F4S3	0 Min	4 Max	2.1404	3,606.97	3,778.58	4,073.26	3,766.97	3,943.85	3,812.69	3,902.36	4,207.59	4,193.52	
21	C1F0S0	1 Low	0 Min	0.6221	1,048.35	1,098.23	1,183.88	1,094.86	1,146.27	1,108.14	1,134.21	1,222.92	1,218.83	
22	C1F0S1	1 Low	0 Min	0.7030	1,184.69	1,241.05	1,337.83	1,237.24	1,295.33	1,252.25	1,281.70	1,381.95	1,377.33	
23	C1F0S2	1 Low	0 Min	1.5803	2,663.10	2,789.80	3,007.37	2,781.23	2,911.82	2,814.98	2,881.19	3,106.55	3,096.16	
24	C1F0S3	1 Low	0 Min	1.8320	3,087.26	3,234.14	3,486.36	3,224.21	3,375.60	3,263.33	3,340.08	3,601.34	3,589.30	
25	C1F1S0	1 Low	1 Low	0.7169	1,208.11	1,265.59	1,364.29	1,261.70	1,320.94	1,277.01	1,307.05	1,409.28	1,404.57	
26	C1F1S1	1 Low	1 Low	0.7978	1,344.44	1,408.40	1,518.24	1,404.08	1,470.01	1,421.12	1,454.54	1,568.31	1,563.07	
27	C1F1S2	1 Low	1 Low	1.6752	2,823.02	2,957.33	3,187.97	2,948.25	3,086.68	2,984.03	3,054.21	3,293.10	3,282.09	
28	C1F1S3	1 Low	1 Low	1.9269	3,247.18	3,401.67	3,666.96	3,391.23	3,550.46	3,432.38	3,513.11	3,787.89	3,775.23	
29	C1F2S0	1 Low	2 Mod	0.8205	1,382.69	1,448.48	1,561.44	1,444.03	1,511.83	1,461.55	1,495.93	1,612.93	1,607.54	
30	C1F2S1	1 Low	2 Mod	1.9014	3,247.18	3,401.67	3,666.96	3,391.23	3,550.46	3,432.38	3,513.11	3,787.89	3,775.23	
31	C1F2S2	1 Low	2 Mod	1.7787	2,997.44	3,140.05	3,384.93	3,130.40	3,277.39	3,168.39	3,242.91	3,496.56	3,484.87	
32	C1F2S3	1 Low	2 Mod	2.0304	3,421.60	3,584.39	3,863.92	3,573.38	3,741.17	3,616.74	3,701.81	3,991.35	3,978.01	
33	C1F3S0	1 Low	3 High	0.8585	1,446.73	1,515.56	1,633.76	1,510.91	1,581.85	1,529.24	1,565.21	1,687.64	1,681.99	
34	C1F3S1	1 Low	3 High	0.9394	1,583.06	1,658.38	1,787.71	1,653.29	1,730.92	1,673.35	1,712.71	1,846.67	1,840.49	
35	C1F3S2	1 Low	3 High	1.8168	3,061.65	3,207.31	3,457.44	3,197.46	3,347.59	3,236.26	3,312.37	3,571.46	3,559.52	
36	C1F3S3	1 Low	3 High	2.0684	3,485.64	3,651.47	3,936.24	3,640.26	3,811.19	3,684.43	3,771.09	4,066.05	4,052.46	
37	C1F4S0	1 Low	4 Max	1.0261	1,729.17	1,811.44	1,952.71	1,805.87	1,890.67	1,827.79	1,870.78	2,017.10	2,010.36	
38	C1F4S1	1 Low	4 Max	1.1070	1,865.50	1,954.25	2,106.66	1,948.25	2,039.73	1,971.89	2,018.27	2,176.14	2,168.86	
39	C1F4S2	1 Low	4 Max	1.9843	3,343.91	3,503.00	3,776.19	3,492.25	3,656.23	3,534.63	3,617.76	3,900.73	3,887.69	
40	C1F4S3	1 Low	4 Max	2.2360	3,768.08	3,947.34	4,255.19	3,935.22	4,120.00	3,982.98	4,076.65	4,395.52	4,380.82	
41	C2F0S0	2 Mod	0 Min	0.7965	1,342.25	1,406.11	1,515.77	1,401.79	1,467.61	1,418.80	1,452.17	1,556.76	1,560.52	
42	C2F0S1	2 Mod	0 Min	0.8774	1,478.58	1,548.93	1,669.72	1,544.17	1,616.68	1,562.91	1,599.67	1,724.79	1,719.02	
43	C2F0S2	2 Mod	0 Min	1.7548	2,957.16	3,097.85	3,339.45	3,088.34	3,233.35	3,125.82	3,199.33	3,449.58	3,438.05	
44	C2F0S3	2 Mod	0 Min	2.0065	3,381.33	3,542.19	3,818.44	3,531.32	3,697.13	3,574.17	3,658.23	3,944.37	3,931.18	
45	C2F1S0	2 Mod	1 Low	0.8914	1,502.17	1,573.64	1,696.37	1,568.81	1,642.47	1,587.85	1,625.19	1,752.31	1,746.45	
46	C2F1S1	2 Mod	1 Low	0.9723	1,638.51	1,716.46	1,850.32	1,711.19	1,791.54	1,731.95	1,772.69	1,911.34	1,904.95	
47	C2F1S2	2 Mod	1 Low	1.8496	3,116.92	3,265.21	3,519.86	3,255.18	3,408.03	3,294.69	3,372.17	3,635.93	3,623.78	
48	C2F1S3	2 Mod	1 Low	2.1013	3,541.08	3,709.55	3,998.85	3,698.16	3,871.81	3,743.04	3,831.07	4,130.73	4,116.92	
49	C2F2S0	2 Mod	2 Mod	0.9949	1,676.59	1,756.36	1,893.33	1,750.96	1,833.18	1,772.21	1,813.89	1,955.77	1,949.23	
50	C2F2S1	2 Mod	2 Mod	1.0758	1,812.92	1,899.17	2,047.29	1,893.34	1,982.24	1,916.32	1,961.39	2,114.80	2,107.73	
51	C2F2S2	2 Mod	2 Mod	1.9532	3,291.50	3,448.10	3,717.01	3,437.51	3,598.92	3,479.23	3,561.06	3,839.59	3,826.76	
52	C2F2S3	2 Mod	2 Mod	2.2048	3,715.50	3,892.27	4,195.81	3,880.31	4,062.51	3,927.40	4,019.77	4,334.18	4,319.70	
53	C2F3S0	2 Mod	3 High	1.0329	1,740.63	1,823.44	1,965.65	1,817.84	1,903.20	1,839.90	1,883.17	2,030.47	2,023.68	
54	C2F3S1	2 Mod	3 High	1.1139	1,877.13	1,966.43	2,119.79	1,960.40	2,052.45	1,984.19	2,030.85	2,189.70	2,182.38	
55	C2F3S2	2 Mod	3 High	1.9912	3,355.54	3,515.18	3,789.33	3,504.39	3,668.94	3,546.92	3,630.34	3,914.29	3,901.21	
56	C2F3S3	2 Mod	3 High	2.2429	3,779.70	3,959.53	4,268.32	3,947.37	4,132.72	3,995.27	4,089.23	4,409.08	4,394.34	
57	C2F4S0	2 Mod	4 Max	1.2005	2,023.07	2,119.31	2,284.59	2,112.81	2,212.01	2,138.45	2,188.74	2,359.94	2,352.05	
58	C2F4S1	2 Mod	4 Max	1.2814	2,159.40	2,262.13	2,438.55	2,255.18	2,361.08	2,282.55	2,336.24	2,518.97	2,510.55	
59	C2F4S2	2 Mod	4 Max	2.1588	3,637.98	3,811.06	4,108.27	3,799.35	3,977.75	3,845.46	3,935.90	4,243.76		

Table 9--Relative Case-Mix Weights Corresponding to Home Heal Effective 10/1/2000

Standardized PPS Rate	100.000%																		
Labor Portion	77.668%	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91
Wage Index		<b>0.8180</b>	<b>0.8381</b>	<b>0.9082</b>	<b>0.8624</b>	<b>0.8517</b>	<b>0.9213</b>	<b>0.8510</b>	<b>0.8702</b>	<b>0.9607</b>	<b>0.8948</b>	<b>0.9836</b>							
Wage Adjusted Labor		1,343.90	1,376.92	1,492.09	1,416.85	1,399.27	1,513.61	1,398.12	1,429.66	1,578.34	1,470.08	1,615.97							
Non Labor Portion	22.332%	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39							
Wage Adjusted Standardized PPS Rate		<b>1.816.29</b>	<b>1.849.31</b>	<b>1.964.48</b>	<b>1.889.24</b>	<b>1.871.66</b>	<b>1.986.00</b>	<b>1.870.51</b>	<b>1.902.05</b>	<b>2.050.73</b>	<b>1.942.47</b>	<b>2.088.36</b>							

Group	HHRG description			Case Mix Weight	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
	Clinical	Functional	Service		Abilene	Amarillo	Austin	Beaumont	Brazoria	Brownsville	Bryan	Corpus	Dallas	El Paso	Ft Worth
					(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
1	C0F0S0	0 Min	0 Min	<b>0.5285</b>	956.28	973.66	1,034.30	994.68	985.43	1,045.63	984.82	1,001.43	1,079.71	1,022.71	1,099.52
2	C0F0S1	0 Min	1 Low	<b>0.6074</b>	1,103.21	1,123.27	1,193.23	1,147.52	1,136.84	1,206.30	1,136.15	1,155.31	1,245.62	1,179.85	1,268.47
3	C0F0S2	0 Min	2 Mod	<b>1.4847</b>	2,696.65	2,745.67	2,916.66	2,804.95	2,778.85	2,948.62	2,777.14	2,823.97	3,044.72	2,883.98	3,100.56
4	C0F0S3	0 Min	3 High	<b>1.7364</b>	3,153.81	3,211.15	3,411.12	3,280.47	3,249.94	3,448.50	3,247.95	3,302.72	3,560.89	3,372.90	3,626.22
5	C0F1S0	1 Low	0 Min	<b>0.6213</b>	1,128.46	1,148.98	1,220.53	1,173.78	1,162.86	1,233.90	1,162.15	1,181.74	1,274.12	1,206.85	1,297.50
6	C0F1S1	1 Low	1 Low	<b>0.7022</b>	1,275.40	1,298.59	1,379.46	1,326.62	1,314.28	1,394.57	1,313.47	1,335.62	1,440.03	1,364.00	1,466.44
7	C0F1S2	1 Low	2 Mod	<b>1.5796</b>	2,869.01	2,921.17	3,103.09	2,984.24	2,956.47	3,137.09	2,954.65	3,004.48	3,239.34	3,068.32	3,298.77
8	C0F1S3	1 Low	3 High	<b>1.8313</b>	3,326.17	3,386.65	3,597.55	3,459.76	3,427.56	3,636.97	3,425.46	3,483.22	3,755.51	3,557.24	3,824.41
9	C0F2S0	2 Mod	0 Min	<b>0.7249</b>	1,316.63	1,340.57	1,424.05	1,369.51	1,356.76	1,439.65	1,355.93	1,378.80	1,486.58	1,408.09	1,513.85
10	C0F2S1	2 Mod	1 Low	<b>0.8058</b>	1,463.57	1,490.18	1,582.98	1,522.35	1,508.18	1,600.32	1,507.25	1,532.67	1,652.48	1,565.24	1,682.80
11	C0F2S2	2 Mod	2 Mod	<b>1.6831</b>	3,057.00	3,112.58	3,306.42	3,179.77	3,150.18	3,342.64	3,148.25	3,201.34	3,451.59	3,269.36	3,514.91
12	C0F2S3	2 Mod	3 High	<b>1.9348</b>	3,514.16	3,578.05	3,800.88	3,655.29	3,621.28	3,842.52	3,619.06	3,680.09	3,967.76	3,758.28	4,040.55
13	C0F3S0	3 High	0 Min	<b>0.7629</b>	1,385.65	1,410.84	1,498.70	1,441.30	1,427.89	1,515.12	1,427.01	1,451.07	1,564.50	1,481.91	1,593.21
14	C0F3S1	3 High	1 Low	<b>0.8438</b>	1,532.59	1,560.45	1,657.63	1,594.14	1,579.32	1,675.79	1,579.33	1,604.95	1,730.41	1,639.05	1,762.16
15	C0F3S2	3 High	2 Mod	<b>1.7212</b>	3,126.20	3,183.04	3,381.26	3,251.75	3,221.49	3,418.31	3,219.52	3,273.81	3,529.72	3,343.37	3,594.48
16	C0F3S3	3 High	3 High	<b>1.9728</b>	3,583.18	3,648.32	3,875.53	3,727.08	3,692.40	3,917.99	3,690.13	3,752.36	4,045.69	3,832.10	4,119.91
17	C0F4S0	4 Max	0 Min	<b>0.9305</b>	1,690.06	1,720.79	1,827.95	1,757.93	1,741.58	1,847.98	1,740.51	1,769.86	1,908.21	1,807.46	1,943.22
18	C0F4S1	4 Max	1 Low	<b>1.0114</b>	1,837.00	1,870.39	1,986.88	1,910.77	1,892.99	2,008.64	1,891.83	1,923.73	2,074.11	1,964.61	2,112.16
19	C0F4S2	4 Max	2 Mod	<b>1.8887</b>	3,430.43	3,492.80	3,710.31	3,568.20	3,535.00	3,750.96	3,532.83	3,592.40	3,873.22	3,668.74	3,944.28
20	C0F4S3	4 Max	3 High	<b>2.1404</b>	3,887.59	3,958.27	4,204.77	4,043.72	4,006.09	4,250.84	4,003.63	4,071.15	4,389.39	4,157.65	4,469.92
21	C1F0S0	1 Low	0 Min	<b>0.6221</b>	1,129.91	1,150.46	1,222.10	1,175.29	1,164.36	1,235.49	1,164.36	1,183.27	1,275.76	1,208.41	1,299.17
22	C1F0S1	1 Low	1 Low	<b>0.7030</b>	1,276.85	1,300.07	1,381.03	1,328.13	1,315.77	1,396.16	1,314.97	1,337.14	1,441.67	1,365.55	1,468.11
23	C1F0S2	1 Low	2 Mod	<b>1.5803</b>	2,870.28	2,922.47	3,104.47	2,985.56	2,957.78	3,138.48	2,955.96	3,005.81	3,240.77	3,069.68	3,300.23
24	C1F0S3	1 Low	3 High	<b>1.8320</b>	3,327.44	3,387.94	3,598.93	3,461.08	3,428.87	3,638.36	3,426.77	3,484.56	3,756.94	3,558.60	3,825.87
25	C1F1S0	1 Low	0 Min	<b>0.7169</b>	1,302.10	1,325.77	1,408.34	1,354.39	1,341.79	1,423.77	1,340.97	1,363.58	1,470.17	1,392.55	1,497.14
26	C1F1S1	1 Low	1 Low	<b>0.7978</b>	1,449.04	1,475.38	1,567.26	1,507.23	1,493.21	1,584.43	1,492.29	1,517.46	1,636.08	1,549.70	1,666.05
27	C1F1S2	1 Low	2 Mod	<b>1.6752</b>	3,042.65	3,097.97	3,290.90	3,164.85	3,135.40	3,326.95	3,133.47	3,186.31	3,435.39	3,254.02	3,498.41
28	C1F1S3	1 Low	3 High	<b>1.9269</b>	3,499.81	3,563.44	3,785.36	3,640.37	3,606.49	3,826.83	3,604.28	3,665.06	3,951.56	3,742.94	4,024.05
29	C1F2S0	2 Mod	0 Min	<b>0.8205</b>	1,490.27	1,517.36	1,611.86	1,550.12	1,535.69	1,629.52	1,534.75	1,560.63	1,682.63	1,593.79	1,713.50
30	C1F2S1	2 Mod	1 Low	<b>0.9014</b>	1,637.20	1,666.97	1,770.78	1,702.96	1,687.11	1,790.18	1,686.07	1,714.51	1,848.53	1,750.94	1,882.44
31	C1F2S2	2 Mod	2 Mod	<b>1.7787</b>	3,230.64	3,289.37	3,494.22	3,360.38	3,329.12	3,532.50	3,327.07	3,383.18	3,647.64	3,455.06	3,714.56
32	C1F2S3	2 Mod	3 High	<b>2.0304</b>	3,687.80	3,754.84	3,988.68	3,835.90	3,800.21	4,032.38	3,797.88	3,861.92	4,163.81	3,943.98	4,240.20
33	C1F3S0	3 High	0 Min	<b>0.8585</b>	1,559.29	1,587.63	1,686.51	1,621.91	1,606.82	1,704.98	1,605.83	1,632.91	1,760.55	1,667.61	1,792.85
34	C1F3S1	3 High	1 Low	<b>0.9394</b>	1,706.22	1,737.24	1,845.43	1,774.75	1,758.23	1,865.65	1,757.15	1,786.79	1,926.46	1,824.75	1,961.80
35	C1F3S2	3 High	2 Mod	<b>1.8168</b>	3,299.84	3,359.83	3,569.07	3,432.36	3,400.43	3,608.17	3,398.34	3,455.64	3,725.77	3,529.07	3,794.13
36	C1F3S3	3 High	3 High	<b>2.0684</b>	3,756.81	3,825.12	4,063.33	3,907.69	3,871.33	4,107.85	3,868.96	3,934.20	4,241.74	4,017.80	4,319.56
37	C1F4S0	4 Max	0 Min	<b>1.0261</b>	1,863.70	1,897.58	2,015.75	1,938.54	1,920.51	2,037.84	1,913.33	1,951.69	2,104.26	1,993.16	2,142.86
38	C1F4S1	4 Max	1 Low	<b>1.1070</b>	2,010.63	2,047.19	2,174.68	2,091.38	2,071.92	2,198.51	2,070.65	2,105.57	2,270.16	2,150.31	2,311.81
39	C1F4S2	4 Max	2 Mod	<b>1.9843</b>	3,604.06	3,669.59	3,898.12	3,748.81	3,713.93	3,940.83	3,711.65	3,774.24	4,069.27	3,854.43	4,143.93
40	C1F4S3	4 Max	3 High	<b>2.2360</b>	4,061.22	4,135.06	4,392.58	4,224.33	4,185.02	4,440.70	4,182.45	4,252.98	4,585.44	4,343.35	4,669.56
41	C2F0S0	2 Mod	0 Min	<b>0.7965</b>	1,446.68	1,472.98	1,564.71	1,504.78	1,490.77	1,581.85	1,489.86	1,514.98	1,633.41	1,547.17	1,683.38
42	C2F0S1	2 Mod	1 Low	<b>0.8774</b>	1,593.61	1,622.59	1,723.64	1,657.62	1,642.19	1,742.52	1,641.18	1,668.86	1,799.31	1,704.32	1,832.32
43	C2F0S2	2 Mod	2 Mod	<b>1.7548</b>	3,187.23	3,245.17	3,447.27	3,315.23	3,284.38	3,485.04	3,282.36	3,337.72	3,598.63	3,408.64	3,664.65
44	C2F0S3	2 Mod	3 High	<b>2.0065</b>	3,644.39	3,710.65	3,941.73	3,790.75	3,755.48	3,984.91	3,753.17	3,816.46	4,114.80	3,897.56	4,190.25
45	C2F1S0	2 Mod	0 Min	<b>0.8914</b>	1,619.04	1,648.48	1,751.14	1,684.06	1,668.39	1,770.32	1,667.37	1,695.49	1,828.02	1,731.51	1,861.56
46	C2F1S1	2 Mod	1 Low	<b>0.9723</b>	1,765.98	1,798.09	1,910.06	1,836.90	1,819.81	1,930.99	1,818.69	1,849.36	1,993.93	1,888.66	2,030.51
47	C2F1S2	2 Mod	2 Mod	<b>1.8496</b>	3,359.41	3,420.49	3,633.50	3,494.33	3,461.82	3,673.31	3,459.69	3,518.03	3,793.04	3,592.78	3,862.62
48	C2F1S3	2 Mod	3 High	<b>2.1013</b>	3,816.57	3,885.96	4,127.96	3,969.85	3,932.91	4,173.19	3,930.49	3,996.78	4,309.21	4,081.70	4,388.26
49	C2F2S0	2 Mod	0 Min	<b>0.9949</b>	1,807.03	1,839.88	1,954.46	1,879.60	1,862.11	1,975.87	1,860.97	1,892.35	2,040.27	1,932.56	2,077.71
50	C2F2S1	2 Mod	1 Low	<b>1.0758</b>	1,953.96	1,989.49	2,113.39	2,032.44	2,013.53	2,136.54	2,012.29	2,046.23	2,206.18	2,089.70	2,246.65

Table 9--Relative Case-Mix Weights Corresponding to Home Heal Effective 10/1/2000

# TEXAS

Standardized PPS Rate	100.000%																			
Labor Portion	77.668%	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91
Wage Index		<b>0.9733</b>	<b>0.9388</b>	<b>0.9933</b>	<b>0.8323</b>	<b>0.8739</b>	<b>0.8412</b>	<b>0.8121</b>	<b>0.8874</b>	<b>0.7846</b>	<b>0.8318</b>	<b>0.9330</b>								
Wage Adjusted Labor		1,599.05	1,542.37	1,631.90	1,367.39	1,435.74	1,382.02	1,334.21	1,457.92	1,289.03	1,366.57	1,532.84								
Non Labor Portion	22.332%	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39	472.39								
Wage Adjusted Standardized PPS Rate		<b>2,071.43</b>	<b>2,014.75</b>	<b>2,104.29</b>	<b>1,839.78</b>	<b>1,908.13</b>	<b>1,854.41</b>	<b>1,806.60</b>	<b>1,930.31</b>	<b>1,761.42</b>	<b>1,838.96</b>	<b>2,005.22</b>								

Group	HRRG description			Case Mix Weight	Case Mix															
	Clinical	Functional	Service		(26)	(27)	(28)	(29)	(30)	(31)	(32)	(33)	(34)	(35)	(36)					
					Galveston	Houston	Killeen/Temp	Laredo	Longview	Lubbock	McAllen	Odessa/Midl	San Angelo	San Antonio	Sherman					
1	C0F0S0	0 Min	0 Min	<b>0.5285</b>	1,090.61	1,060.77	1,107.91	968.65	1,004.63	976.34	951.17	1,016.31	927.39	968.21	1,055.75					
2	C0F0S1	0 Min	1 Low	<b>0.6074</b>	1,258.19	1,223.76	1,278.15	1,117.48	1,159.00	1,126.37	1,097.33	1,172.47	1,069.88	1,116.99	1,217.97					
3	C0F0S2	0 Min	2 Mod	<b>1.4847</b>	3,075.46	2,991.31	3,124.24	2,731.53	2,833.00	2,753.24	2,682.25	2,865.93	2,615.18	2,730.31	2,977.16					
4	C0F0S3	0 Min	3 High	<b>1.7364</b>	3,596.84	3,498.42	3,653.89	3,194.60	3,313.28	3,219.99	3,136.98	3,351.79	3,058.52	3,193.17	3,481.87					
5	C0F1S0	1 Low	0 Min	<b>0.6213</b>	1,286.98	1,251.77	1,307.40	1,143.06	1,185.52	1,152.44	1,199.30	1,122.44	1,199.30	1,094.37	1,142.55					
6	C0F1S1	1 Low	1 Low	<b>0.7022</b>	1,454.56	1,414.76	1,477.63	1,291.90	1,339.89	1,302.16	1,268.59	1,355.46	1,236.87	1,291.32	1,408.07					
7	C0F1S2	1 Low	2 Mod	<b>1.5796</b>	3,272.04	3,182.51	3,323.94	2,906.12	3,014.08	2,929.22	2,853.70	3,049.11	2,782.33	2,904.82	3,167.45					
8	C0F1S3	1 Low	3 High	<b>1.8313</b>	3,793.42	3,689.62	3,853.59	3,369.20	3,494.36	3,395.97	3,308.42	3,534.97	3,225.68	3,367.69	3,672.17					
9	C0F2S0	2 Mod	0 Min	<b>0.7249</b>	1,501.58	1,460.50	1,525.40	1,333.66	1,383.20	1,344.26	1,309.60	1,399.28	1,276.85	1,333.06	1,453.55					
10	C0F2S1	2 Mod	1 Low	<b>0.8058</b>	1,669.16	1,623.49	1,695.64	1,482.50	1,537.57	1,494.28	1,455.76	1,555.44	1,419.35	1,481.84	1,615.81					
11	C0F2S2	2 Mod	2 Mod	<b>1.6831</b>	3,486.43	3,391.03	3,541.73	3,096.54	3,211.57	3,121.15	3,040.68	3,248.90	2,964.64	3,095.16	3,374.95					
12	C0F2S3	2 Mod	3 High	<b>1.9348</b>	4,007.81	3,898.15	4,071.39	3,559.61	3,691.85	3,587.90	3,495.40	3,734.76	3,407.99	3,558.02	3,879.71					
13	C0F3S0	3 High	0 Min	<b>0.7629</b>	1,580.30	1,537.06	1,605.36	1,403.57	1,455.71	1,414.73	1,378.25	1,472.63	1,343.78	1,402.94	1,529.79					
14	C0F3S1	3 High	1 Low	<b>0.8438</b>	1,747.88	1,700.05	1,775.60	1,552.41	1,610.08	1,564.75	1,524.41	1,628.79	1,486.28	1,551.72	1,692.01					
15	C0F3S2	3 High	2 Mod	<b>1.7212</b>	3,565.35	3,467.79	3,621.91	3,166.64	3,284.27	3,191.80	3,109.51	3,322.45	3,031.75	3,165.22	3,451.35					
16	C0F3S3	3 High	3 High	<b>1.9728</b>	4,086.53	3,974.71	4,151.35	3,629.53	3,764.36	3,658.37	3,564.05	3,808.11	3,474.92	3,627.90	3,955.91					
17	C0F4S0	4 Max	0 Min	<b>0.9305</b>	1,927.47	1,874.73	1,958.04	1,711.92	1,775.51	1,725.52	1,681.04	1,796.15	1,639.00	1,711.15	1,865.87					
18	C0F4S1	4 Max	1 Low	<b>1.0114</b>	2,095.05	2,037.72	2,128.28	1,860.76	1,929.88	1,875.55	1,827.19	1,952.31	1,781.50	1,859.93	2,028.08					
19	C0F4S2	4 Max	2 Mod	<b>1.8887</b>	3,912.32	3,805.27	3,974.38	3,474.80	3,603.88	3,502.42	3,412.12	3,645.77	3,326.79	3,473.25	3,787.27					
20	C0F4S3	4 Max	3 High	<b>2.1404</b>	4,433.70	4,312.38	4,504.03	3,937.87	4,084.16	3,969.17	3,866.84	4,131.63	3,770.14	3,936.11	4,291.98					
21	C1F0S0	1 Low	0 Min	<b>0.6221</b>	1,288.64	1,253.38	1,309.08	1,144.53	1,187.05	1,153.63	1,223.88	1,200.84	1,095.78	1,144.02	1,247.45					
22	C1F0S1	1 Low	1 Low	<b>0.7030</b>	1,456.22	1,416.37	1,479.32	1,293.37	1,341.41	1,303.65	1,270.04	1,357.01	1,238.28	1,292.79	1,409.67					
23	C1F0S2	1 Low	2 Mod	<b>1.5803</b>	3,273.49	3,183.92	3,325.41	2,907.41	3,015.42	2,930.52	2,854.97	3,050.47	2,783.57	2,906.11	3,168.86					
24	C1F0S3	1 Low	3 High	<b>1.8320</b>	3,794.87	3,691.03	3,855.06	3,370.48	3,495.69	3,397.27	3,309.69	3,536.32	3,226.92	3,368.98	3,673.57					
25	C1F1S0	1 Low	0 Min	<b>0.7169</b>	1,485.01	1,444.38	1,508.57	1,318.94	1,367.94	1,329.42	1,295.15	1,383.84	1,262.76	1,318.35	1,437.55					
26	C1F1S1	1 Low	1 Low	<b>0.7978</b>	1,652.59	1,607.37	1,678.80	1,467.78	1,522.31	1,479.44	1,441.30	1,540.00	1,405.26	1,467.12	1,599.77					
27	C1F1S2	1 Low	2 Mod	<b>1.6752</b>	3,470.07	3,375.12	3,525.11	3,082.01	3,196.50	3,106.50	3,026.41	3,233.65	2,950.73	3,080.63	3,359.15					
28	C1F1S3	1 Low	3 High	<b>1.9269</b>	3,991.45	3,882.23	4,054.76	3,545.08	3,676.77	3,573.25	3,481.13	3,719.51	3,394.07	3,543.50	3,863.87					
29	C1F2S0	2 Mod	0 Min	<b>0.8205</b>	1,699.61	1,653.11	1,726.57	1,509.54	1,565.62	1,521.54	1,482.31	1,583.82	1,445.24	1,508.87	1,645.25					
30	C1F2S1	2 Mod	1 Low	<b>0.9014</b>	1,867.19	1,816.10	1,896.81	1,658.38	1,719.99	1,671.56	1,628.47	1,739.98	1,587.74	1,657.64	1,807.51					
31	C1F2S2	2 Mod	2 Mod	<b>1.7787</b>	3,684.46	3,583.64	3,742.91	3,272.42	3,393.99	3,298.43	3,213.39	3,433.44	3,133.03	3,270.96	3,566.65					
32	C1F2S3	2 Mod	3 High	<b>2.0304</b>	4,205.84	4,090.76	4,272.56	3,735.50	3,874.26	3,765.19	3,668.11	3,919.30	3,576.38	3,733.83	4,071.41					
33	C1F3S0	3 High	0 Min	<b>0.8585</b>	1,778.33	1,729.67	1,806.54	1,579.45	1,638.13	1,592.01	1,550.96	1,657.17	1,512.18	1,578.75	1,721.45					
34	C1F3S1	3 High	1 Low	<b>0.9394</b>	1,945.91	1,892.66	1,976.77	1,728.29	1,792.50	1,742.03	1,697.12	1,813.33	1,654.68	1,727.52	1,883.71					
35	C1F3S2	3 High	2 Mod	<b>1.8168</b>	3,763.38	3,660.40	3,823.08	3,342.52	3,466.69	3,369.08	3,282.23	3,506.98	3,200.14	3,341.03	3,643.05					
36	C1F3S3	3 High	3 High	<b>2.0684</b>	4,284.55	4,167.32	4,352.52	3,805.41	3,946.77	3,835.65	3,736.77	3,992.65	3,643.31	3,803.71	4,147.61					
37	C1F4S0	4 Max	0 Min	<b>1.0261</b>	2,125.50	2,067.34	2,159.21	1,887.80	1,957.93	1,902.81	1,853.75	1,980.69	1,807.39	1,886.96	2,057.56					
38	C1F4S1	4 Max	1 Low	<b>1.1070</b>	2,293.08	2,230.33	2,329.45	2,036.64	2,112.30	2,052.83	1,999.90	2,136.85	1,949.89	2,035.73	2,219.78					
39	C1F4S2	4 Max	2 Mod	<b>1.9843</b>	4,110.35	3,997.88	4,175.55	3,650.68	3,786.30	3,679.70	3,584.83	3,830.31	3,495.18	3,649.05	3,978.97					
40	C1F4S3	4 Max	3 High	<b>2.2360</b>	4,631.73	4,504.99	4,705.20	4,113.76	4,266.58	4,146.45	4,039.55	4,316.17	3,938.53	4,111.92	4,483.65					
41	C2F0S0	2 Mod	0 Min	<b>0.7965</b>	1,649.90	1,604.75	1,676.07	1,465.39	1,519.82	1,477.03	1,438.95	1,537.49	1,402.97	1,464.73	1,597.16					
42	C2F0S1	2 Mod	1 Low	<b>0.8774</b>	1,817.48	1,767.75	1,846.31	1,614.23	1,674.19	1,627.06	1,585.11	1,693.65	1,545.47	1,613.51	1,759.38					
43	C2F0S2	2 Mod	2 Mod	<b>1.7548</b>	3,634.95	3,535.49	3,692.61	3,228.45	3,348.38	3,254.11	3,170.22	3,387.30	3,090.93	3,227.01	3,518.77					
44	C2F0S3	2 Mod	3 High	<b>2.0065</b>	4,156.33	4,042.60	4,222.26	3,691.53	3,828.66	3,720.87	3,624.94	3,873.16	3,534.28	3,689.88	4,023.48					
45	C2F1S0	2 Mod	0 Min	<b>0.8914</b>	1,846.48	1,795.95	1,875.77	1,639.98	1,700.91	1,653.02	1,610.40	1,720.68	1,570.13	1,639.25	1,787.44					
46	C2F1S1	2 Mod	1 Low	<b>0.9723</b>	2,014.06	1,958.95	2,046.00	1,788.82	1,855.27	1,803.04	1,756.55	1,876.84	1,712.63	1,788.02	1,949.66					
47	C2F1S2	2 Mod	2 Mod	<b>1.8496</b>	3,831.32	3,726.49	3,892.10	3,402.86	3,529.28	3,429.91	3,341.48	3,570.30	3,257.92	3,401.34	3,708.86					
48	C2F1S3	2 Mod	3 High	<b>2.1013</b>	4,352.70	4,233.60	4,421.75	3,865.94	4,009.55	3,896.66	3,796.20	4,056.16	3,701.27	3,864.21	4,213.58					
49	C2F2S0	2 Mod	0 Min	<b>0.9949</b>	2,060.87	2,004.48	2,093.56	1,830.40	1,898.40	1,844.95	1,797.38	1,920.46	1,752.43	1,829.58	1,995.00					
50	C2F2S1	2 Mod	1 Low	<b>1.0758</b>	2,228.45	2,167.47	2,263.80	1,979.24	2,052.77	1,994.97	1,943.54	2,076.63	1,894.93	1,978.36	2,					

**Table 9--Relative Case-Mix Weights Corresponding to Home Heal Effective 10/1/2000**

Standardized PPS Rate	100.000%				
Labor Portion	77.668%	1,642.91	1,642.91	1,642.91	1,642.91
Wage Index		<b>0.9370</b>	<b>0.8076</b>	<b>0.7653</b>	<b>0.8136</b>
Wage Adjusted Labor		1,539.41	1,326.82	1,257.32	1,336.67
Non Labor Portion	22.332%	472.39	472.39	472.39	472.39
Wage Adjusted Standardized PPS Rate		<b>2,011.80</b>	<b>1,799.20</b>	<b>1,729.71</b>	<b>1,809.06</b>

Group	HRRG description			Case Mix Weight	(37) Tyler	(38) Waco	(39) Wichita Falls	(40) Texarkana	(41) TEXAS Rural
	Clinical	Functional	Service						
	0 Min	0 Min	0 Min						
1 C0F0S0	0 Min	0 Min	0 Min	<b>0.5285</b>	1,059.21	947.28	910.69	952.47	894.9E
2 C0F0S1	0 Min	0 Min	1 Low	<b>0.6074</b>	1,221.97	1,092.84	1,050.63	1,098.82	1,032.4E
3 C0F0S2	0 Min	0 Min	2 Mod	<b>1.4847</b>	2,986.91	2,671.28	2,568.10	2,685.91	2,523.7E
4 C0F0S3	0 Min	0 Min	3 High	<b>1.7364</b>	3,493.28	3,124.14	3,003.47	3,141.25	2,951.5E
5 C0F1S0	0 Min	1 Low	0 Min	<b>0.6213</b>	1,249.93	1,117.85	1,074.67	1,123.97	1,056.0E
6 C0F1S1	0 Min	1 Low	1 Low	<b>0.7022</b>	1,412.68	1,263.40	1,214.60	1,270.32	1,193.61
7 C0F1S2	0 Min	1 Low	2 Mod	<b>1.5796</b>	3,177.83	2,842.02	2,732.25	2,857.59	2,685.0E
8 C0F1S3	0 Min	1 Low	3 High	<b>1.8313</b>	3,684.20	3,294.88	3,167.62	3,312.93	3,112.8E
9 C0F2S0	0 Min	2 Mod	0 Min	<b>0.7249</b>	1,458.35	1,304.24	1,253.87	1,311.39	1,232.1E
10 C0F2S1	0 Min	2 Mod	1 Low	<b>0.8058</b>	1,621.11	1,449.80	1,393.80	1,457.74	1,369.71
11 C0F2S2	0 Min	2 Mod	2 Mod	<b>1.6831</b>	3,386.05	3,028.24	2,911.27	3,044.83	2,860.9E
12 C0F2S3	0 Min	2 Mod	3 High	<b>1.9348</b>	3,892.42	3,481.10	3,346.64	3,500.17	3,288.7E
13 C0F3S0	0 Min	3 High	0 Min	<b>0.7629</b>	1,534.80	1,372.61	1,319.59	1,380.13	1,296.7E
14 C0F3S1	0 Min	3 High	1 Low	<b>0.8438</b>	1,697.55	1,518.17	1,459.53	1,526.49	1,434.3E
15 C0F3S2	0 Min	3 High	2 Mod	<b>1.7212</b>	3,462.70	3,096.79	2,977.17	3,113.76	2,925.71
16 C0F3S3	0 Min	3 High	3 High	<b>1.9728</b>	3,968.87	3,549.47	3,412.37	3,568.92	3,353.3E
17 C0F4S0	0 Min	4 Max	0 Min	<b>0.9305</b>	1,871.98	1,674.16	1,609.49	1,683.33	1,581.8E
18 C0F4S1	0 Min	4 Max	1 Low	<b>1.0114</b>	2,034.73	1,819.71	1,749.43	1,829.68	1,719.1E
19 C0F4S2	0 Min	4 Max	2 Mod	<b>1.8887</b>	3,799.68	3,398.16	3,266.90	3,416.77	3,210.4E
20 C0F4S3	0 Min	4 Max	3 High	<b>2.1404</b>	4,306.05	3,851.02	3,702.27	3,872.11	3,638.2E
21 C1F0S0	1 Low	0 Min	0 Min	<b>0.6221</b>	1,251.54	1,119.28	1,076.05	1,125.42	1,057.4E
22 C1F0S1	1 Low	0 Min	1 Low	<b>0.7030</b>	1,414.29	1,264.84	1,215.99	1,271.77	1,194.9E
23 C1F0S2	1 Low	0 Min	2 Mod	<b>1.5803</b>	3,179.24	2,843.28	2,733.46	2,858.86	2,686.21
24 C1F0S3	1 Low	0 Min	3 High	<b>1.8320</b>	3,685.61	3,296.14	3,168.83	3,314.20	3,114.0E
25 C1F1S0	1 Low	1 Low	0 Min	<b>0.7169</b>	1,442.26	1,289.85	1,240.03	1,296.92	1,218.5E
26 C1F1S1	1 Low	1 Low	1 Low	<b>0.7978</b>	1,605.01	1,435.40	1,379.96	1,443.27	1,356.11
27 C1F1S2	1 Low	1 Low	2 Mod	<b>1.6752</b>	3,370.16	3,014.03	2,897.61	3,030.54	2,847.5E
28 C1F1S3	1 Low	1 Low	3 High	<b>1.9269</b>	3,876.53	3,466.89	3,332.98	3,485.88	3,275.3E
29 C1F2S0	1 Low	2 Mod	0 Min	<b>0.8205</b>	1,650.68	1,476.25	1,419.23	1,484.33	1,394.6E
30 C1F2S1	1 Low	2 Mod	1 Low	<b>0.9014</b>	1,813.43	1,621.80	1,559.16	1,630.69	1,532.21
31 C1F2S2	1 Low	2 Mod	2 Mod	<b>1.7787</b>	3,578.38	3,200.24	3,076.63	3,217.78	3,023.4E
32 C1F2S3	1 Low	2 Mod	3 High	<b>2.0304</b>	4,084.75	3,653.10	3,512.00	3,673.12	3,451.2E
33 C1F3S0	1 Low	3 High	0 Min	<b>0.8585</b>	1,727.13	1,544.62	1,484.95	1,553.08	1,459.2E
34 C1F3S1	1 Low	3 High	1 Low	<b>0.9394</b>	1,889.88	1,690.17	1,624.89	1,699.43	1,596.8E
35 C1F3S2	1 Low	3 High	2 Mod	<b>1.8168</b>	3,655.03	3,268.79	3,142.53	3,286.70	3,088.21
36 C1F3S3	1 Low	3 High	3 High	<b>2.0684</b>	4,161.20	3,721.47	3,577.73	3,741.86	3,515.8E
37 C1F4S0	1 Low	4 Max	0 Min	<b>1.0261</b>	2,064.30	1,846.16	1,774.85	1,856.28	1,744.1E
38 C1F4S1	1 Low	4 Max	1 Low	<b>1.1070</b>	2,227.06	1,991.72	1,914.79	2,002.63	1,881.6E
39 C1F4S2	1 Low	4 Max	2 Mod	<b>1.9843</b>	3,992.01	3,570.16	3,432.26	3,589.72	3,372.9E
40 C1F4S3	1 Low	4 Max	3 High	<b>2.2360</b>	4,498.38	4,023.02	3,867.63	4,045.06	3,800.7E
41 C2F0S0	2 Mod	0 Min	0 Min	<b>0.7965</b>	1,602.40	1,433.07	1,377.71	1,440.92	1,353.9E
42 C2F0S1	2 Mod	0 Min	1 Low	<b>0.8774</b>	1,765.15	1,578.62	1,517.65	1,587.27	1,491.41
43 C2F0S2	2 Mod	0 Min	2 Mod	<b>1.7548</b>	3,530.30	3,157.24	3,035.29	3,174.54	2,982.8E
44 C2F0S3	2 Mod	0 Min	3 High	<b>2.0065</b>	4,036.67	3,610.10	3,470.66	3,629.88	3,410.6E
45 C2F1S0	2 Mod	1 Low	0 Min	<b>0.8914</b>	1,793.32	1,603.81	1,541.86	1,612.60	1,515.2E
46 C2F1S1	2 Mod	1 Low	1 Low	<b>0.9723</b>	1,956.07	1,749.37	1,681.80	1,758.95	1,652.7E
47 C2F1S2	2 Mod	1 Low	2 Mod	<b>1.8496</b>	3,721.02	3,327.81	3,199.27	3,346.04	3,143.9E
48 C2F1S3	2 Mod	1 Low	3 High	<b>2.1013</b>	4,227.39	3,780.67	3,634.64	3,801.38	3,571.8E
49 C2F2S0	2 Mod	2 Mod	0 Min	<b>0.9949</b>	2,001.54	1,790.03	1,720.89	1,799.84	1,691.1E
50 C2F2S1	2 Mod	2 Mod	1 Low	<b>1.0758</b>	2,164.29	1,935.58	1,860.82	1,946.19	1,828.6E
51 C2F2S2	2 Mod	2 Mod	2 Mod	<b>1.9532</b>	3,929.44	3,514.21	3,378.47	3,533.46	3,320.0E
52 C2F2S3	2 Mod	2 Mod	3 High	<b>2.2048</b>	4,435.61	3,966.88	3,813.66	3,988.62	3,747.7E
53 C2F3S0	2 Mod	3 High	0 Min	<b>1.0329</b>	2,077.98	1,858.40	1,786.62	1,868.58	1,755.7E
54 C2F3S1	2 Mod	3 High	1 Low	<b>1.1139</b>	2,240.94	2,004.13	1,926.72	2,015.11	1,893.4E
55 C2F3S2	2 Mod	3 High	2 Mod	<b>1.9912</b>	4,005.89	3,582.57	3,444.20	3,602.20	3,384.6E
56 C2F3S3	2 Mod	3 High	3 High	<b>2.2429</b>	4,512.26	4,035.43	3,879.56	4,057.54	3,812.5E
57 C2F4S0	2 Mod	4 Max	0 Min	<b>1.2005</b>	2,415.16	2,159.94	2,076.52	2,171.78	2,040.6E
58 C2F4S1	2 Mod	4 Max	1 Low	<b>1.2814</b>	2,577.92	2,305.50	2,216.45	2,318.13	2,178.1E
59 C2F4S2	2 Mod	4 Max	2 Mod	<b>2.1588</b>	4,343.07	3,884.12	3,734.10	3,905.40	3,669.5E
60 C2F4S3	2 Mod	4 Max	3 High	<b>2.4105</b>	4,849.44	4,336.98	4,169.46	4,360.74	4,097.3E
61 C3F0S0	3 High	0 Min	0 Min	<b>1.1973</b>	2,408.72	2,154.19	2,070.98	2,165.99	2,035.1E
62 C3F0S1	3 High	0 Min	1 Low	<b>1.2782</b>	2,571.48	2,299.74	2,210.91	2,312.34	2,172.6E
63 C3F0S2	3 High	0 Min	2 Mod	<b>2.1556</b>	4,336.63	3,878.36	3,728.56	3,899.61	3,664.11
64 C3F0S3	3 High	0 Min	3 High	<b>2.4073</b>	4,843.00	4,331.22	4,163.93	4,354.95	4,091.9E
65 C3F1S0	3 High	1 Low	0 Min	<b>1.2922</b>	2,599.64	2,324.93	2,235.13	2,337.67	2,196.4E
66 C3F1S1	3 High	1 Low	1 Low	<b>1.3731</b>	2,762.40	2,470.49	2,375.06	2,484.02	2,334.0E
67 C3F1S2	3 High	1 Low	2 Mod	<b>2.2504</b>	4,527.35	4,048.93	3,892.54	4,071.11	3,825.2E
68 C3F1S3	3 High	1 Low	3 High	<b>2.5021</b>	5,033.72	4,501.79	4,327.90	4,526.45	4,253.0E
69 C3F2S0	3 High	2 Mod	0 Min	<b>1.3957</b>	2,807.86	2,511.15	2,414.15	2,524.91	2,372.4E
70 C3F2S1	3 High	2 Mod	1 Low	<b>1.4766</b>	2,970.62	2,656.70	2,554.09	2,671.26	2,509.9E
71 C3F2S2	3 High	2 Mod	2 Mod	<b>2.3540</b>	4,735.77	4,235.33	4,071.73	4,258.53	4,001.3E
72 C3F2S3	3 High	2 Mod	3 High	<b>2.6056</b>	5,241.94	4,688.01	4,506.93	4,713.69	4,429.0E
73 C3F3S0	3 High	3 High	0 Min	<b>1.4337</b>	2,884.31	2,579.52	2,479.88	2,593.65	2,437.0E
74 C3F3S1	3 High	3 High	1 Low	<b>1.5147</b>	3,047.27	2,725.25	2,619.99	2,740.19	2,574.7E
75 C3F3S2	3 High	3 High	2 Mod	<b>2.3920</b>	4,812.22	4,303.70	4,137.46	4,327.27	4,065.9E
76 C3F3S3	3 High	3 High	3 High	<b>2.6437</b>	5,318.59	4,756.56	4,572.83	4,782.62	4,493.7E
77 C3F4S0	3 High	4 Max	0 Min	<b>1.6013</b>	3,221.49	2,881.07	2,769.78	2,896.85	2,721.9E
78 C3F4S1	3 High	4 Max	1 Low	<b>1.6822</b>	3,384.24	3,026.62	2,909.72	3,043.20	2,859.4E
79 C3F4S2	3 High	4 Max	2 Mod	<b>2.5596</b>	5,149.39	4,605.24	4,427.36	4,630.47	4,350.8E
80 C3F4S3	3 High	4 Max	3 High	<b>2.8113</b>	5,655.76	5,058.10	4,862.73	5,085.81	4,778.6E

**Table 9—Relative Case-Mix Weights Corresponding to Home Heal  
Effective 10/1/2000**

**ARKANSAS**

Standardized PPS Rate	100.000%		
Labor Portion	77.668%	1,642.91	1,642.91
Wage Index		<b>0.7236</b>	<b>1.0000</b>
Wage Adjusted Labor		1,188.81	1,642.91
Non Labor Portion	22.332%	472.39	472.39
Wage Adjusted Standardized PPS Rate		<b>1,661.20</b>	<b>2,115.30</b>

HHRG	HHRG description			Case Mix Weight	Case Mix		
	Clinical	Functional	Service		ARKANSAS	NATIONAL	
1	C0F0S0	0 Min	0 Min	0 Min	<b>0.5265</b>	874.62	1,113.71
2	C0F0S1	0 Min	0 Min	1 Low	<b>0.6074</b>	1,009.01	1,284.83
3	C0F0S2	0 Min	0 Min	2 Mod	<b>1.4847</b>	2,466.38	3,140.59
4	C0F0S3	0 Min	0 Min	3 High	<b>1.7364</b>	2,884.51	3,673.01
5	C0F1S0	0 Min	1 Low	0 Min	<b>0.6213</b>	1,032.10	1,314.22
6	C0F1S1	0 Min	1 Low	1 Low	<b>0.7022</b>	1,166.49	1,485.36
7	C0F1S2	0 Min	1 Low	2 Mod	<b>1.5796</b>	2,624.03	3,341.33
8	C0F1S3	0 Min	1 Low	3 High	<b>1.8313</b>	3,042.15	3,873.75
9	C0F2S0	0 Min	2 Mod	0 Min	<b>0.7249</b>	1,204.20	1,533.38
10	C0F2S1	0 Min	2 Mod	1 Low	<b>0.8058</b>	1,338.59	1,704.51
11	C0F2S2	0 Min	2 Mod	2 Mod	<b>1.6831</b>	2,795.96	3,560.26
12	C0F2S3	0 Min	2 Mod	3 High	<b>1.9348</b>	3,214.09	4,092.68
13	C0F3S0	0 Min	3 High	0 Min	<b>0.7629</b>	1,267.33	1,613.78
14	C0F3S1	0 Min	3 High	1 Low	<b>0.8438</b>	1,401.72	1,784.88
15	C0F3S2	0 Min	3 High	2 Mod	<b>1.7212</b>	2,859.26	3,640.88
16	C0F3S3	0 Min	3 High	3 High	<b>1.9728</b>	3,277.21	4,173.06
17	C0F4S0	0 Min	4 Max	0 Min	<b>0.9305</b>	1,545.75	1,968.28
18	C0F4S1	0 Min	4 Max	1 Low	<b>1.0114</b>	1,680.14	2,139.41
19	C0F4S2	0 Min	4 Max	2 Mod	<b>1.8887</b>	3,137.51	3,995.17
20	C0F4S3	0 Min	4 Max	3 High	<b>2.1404</b>	3,555.63	4,527.58
21	C1F0S0	1 Low	0 Min	0 Min	<b>0.6221</b>	1,033.43	1,315.93
22	C1F0S1	1 Low	0 Min	1 Low	<b>0.7030</b>	1,167.82	1,487.06
23	C1F0S2	1 Low	0 Min	2 Mod	<b>1.5803</b>	2,625.19	3,342.81
24	C1F0S3	1 Low	0 Min	3 High	<b>1.8320</b>	3,043.32	3,875.23
25	C1F1S0	1 Low	1 Low	0 Min	<b>0.7169</b>	1,190.91	1,516.48
26	C1F1S1	1 Low	1 Low	1 Low	<b>0.7978</b>	1,325.30	1,687.58
27	C1F1S2	1 Low	1 Low	2 Mod	<b>1.6752</b>	2,782.84	3,543.58
28	C1F1S3	1 Low	1 Low	3 High	<b>1.9269</b>	3,200.97	4,075.97
29	C1F2S0	1 Low	2 Mod	0 Min	<b>0.8205</b>	1,363.01	1,735.66
30	C1F2S1	1 Low	2 Mod	1 Low	<b>0.9014</b>	1,497.41	1,906.73
31	C1F2S2	1 Low	2 Mod	2 Mod	<b>1.7787</b>	2,954.78	3,762.48
32	C1F2S3	1 Low	2 Mod	3 High	<b>2.0304</b>	3,372.90	4,294.91
33	C1F3S0	1 Low	3 High	0 Min	<b>0.8585</b>	1,426.14	1,815.98
34	C1F3S1	1 Low	3 High	1 Low	<b>0.9394</b>	1,560.53	1,987.11
35	C1F3S2	1 Low	3 High	2 Mod	<b>1.8168</b>	3,018.07	3,843.08
36	C1F3S3	1 Low	3 High	3 High	<b>2.0684</b>	3,436.02	4,375.28
37	C1F4S0	1 Low	4 Max	0 Min	<b>1.0261</b>	1,704.56	2,170.51
38	C1F4S1	1 Low	4 Max	1 Low	<b>1.1070</b>	1,838.95	2,341.62
39	C1F4S2	1 Low	4 Max	2 Mod	<b>1.9843</b>	3,296.32	4,197.38
40	C1F4S3	1 Low	4 Max	3 High	<b>2.2360</b>	3,714.44	4,729.81
41	C2F0S0	2 Mod	0 Min	0 Min	<b>0.7965</b>	1,323.15	1,684.82
42	C2F0S1	2 Mod	0 Min	1 Low	<b>0.8774</b>	1,457.54	1,855.98
43	C2F0S2	2 Mod	0 Min	2 Mod	<b>1.7548</b>	2,915.07	3,711.93
44	C2F0S3	2 Mod	0 Min	3 High	<b>2.0065</b>	3,333.20	4,244.38
45	C2F1S0	2 Mod	1 Low	0 Min	<b>0.8914</b>	1,480.79	1,885.58
46	C2F1S1	2 Mod	1 Low	1 Low	<b>0.9723</b>	1,615.18	2,056.71
47	C2F1S2	2 Mod	1 Low	2 Mod	<b>1.8496</b>	3,072.55	3,912.48
48	C2F1S3	2 Mod	1 Low	3 High	<b>2.1013</b>	3,490.68	4,444.88
49	C2F2S0	2 Mod	2 Mod	0 Min	<b>0.9949</b>	1,652.73	2,104.51
50	C2F2S1	2 Mod	2 Mod	1 Low	<b>1.0758</b>	1,787.12	2,275.62
51	C2F2S2	2 Mod	2 Mod	2 Mod	<b>1.9532</b>	3,244.65	4,131.60
52	C2F2S3	2 Mod	2 Mod	3 High	<b>2.2048</b>	3,662.61	4,663.81
53	C2F3S0	2 Mod	3 High	0 Min	<b>1.0329</b>	1,715.85	2,184.88
54	C2F3S1	2 Mod	3 High	1 Low	<b>1.1139</b>	1,850.41	2,356.23
55	C2F3S2	2 Mod	3 High	2 Mod	<b>1.9912</b>	3,307.78	4,211.98
56	C2F3S3	2 Mod	3 High	3 High	<b>2.2429</b>	3,725.90	4,744.41
57	C2F4S0	2 Mod	4 Max	0 Min	<b>1.2005</b>	1,994.27	2,539.42
58	C2F4S1	2 Mod	4 Max	1 Low	<b>1.2814</b>	2,128.66	2,710.58
59	C2F4S2	2 Mod	4 Max	2 Mod	<b>2.1588</b>	3,586.20	4,566.51
60	C2F4S3	2 Mod	4 Max	3 High	<b>2.4105</b>	4,004.32	5,098.93
61	C3F0S0	3 High	0 Min	0 Min	<b>1.1973</b>	1,988.95	2,532.68
62	C3F0S1	3 High	0 Min	1 Low	<b>1.2782</b>	2,123.35	2,703.78
63	C3F0S2	3 High	0 Min	2 Mod	<b>2.1556</b>	3,580.88	4,559.72
64	C3F0S3	3 High	0 Min	3 High	<b>2.4073</b>	3,999.01	5,092.16
65	C3F1S0	3 High	1 Low	0 Min	<b>1.2922</b>	2,146.60	2,733.38
66	C3F1S1	3 High	1 Low	1 Low	<b>1.3731</b>	2,280.99	2,904.52
67	C3F1S2	3 High	1 Low	2 Mod	<b>2.2504</b>	3,738.36	4,760.27
68	C3F1S3	3 High	1 Low	3 High	<b>2.5021</b>	4,156.49	5,292.68
69	C3F2S0	3 High	2 Mod	0 Min	<b>1.3957</b>	2,318.54	2,952.32
70	C3F2S1	3 High	2 Mod	1 Low	<b>1.4766</b>	2,452.93	3,123.48
71	C3F2S2	3 High	2 Mod	2 Mod	<b>2.3540</b>	3,910.46	4,979.42
72	C3F2S3	3 High	2 Mod	3 High	<b>2.6056</b>	4,328.42	5,511.63
73	C3F3S0	3 High	3 High	0 Min	<b>1.4337</b>	2,381.66	3,032.71
74	C3F3S1	3 High	3 High	1 Low	<b>1.5147</b>	2,516.22	3,204.04
75	C3F3S2	3 High	3 High	2 Mod	<b>2.3920</b>	3,973.59	5,059.80
76	C3F3S3	3 High	3 High	3 High	<b>2.6437</b>	4,391.71	5,592.22
77	C3F4S0	3 High	4 Max	0 Min	<b>1.6013</b>	2,660.08	3,387.23
78	C3F4S1	3 High	4 Max	1 Low	<b>1.6822</b>	2,794.47	3,558.38
79	C3F4S2	3 High	4 Max	2 Mod	<b>2.5596</b>	4,252.01	5,414.32
80	C3F4S3	3 High	4 Max	3 High	<b>2.8113</b>	4,670.13	5,946.72

Table 9--Relative Case-Mix Weights Corresponding to Home Heal Effective 10/1/2000

**TENNESSEE**

Standardized PPS Rate	100.000%					
Labor Portion	77.668%	1,642.91	1,642.91	1,642.91	1,642.91	1,642.91
Wage Index		<b>0.9732</b>	<b>0.8090</b>	<b>0.9200</b>	<b>0.9450</b>	<b>0.7651</b>
Wage Adjusted Labor		1,598.88	1,329.12	1,511.48	1,552.55	1,256.95
Non Labor Portion	22.332%	472.39	472.39	472.39	472.39	472.39
Wage Adjusted Standardized PPS Rate		<b>2,071.27</b>	<b>1,801.50</b>	<b>1,983.87</b>	<b>2,024.94</b>	<b>1,729.34</b>

Group	HRRG description			Case Mix Weight	Case Mix				
	Clinical	Functional	Service		(43) Chattanooga	(43) Clarksville	(43) Knoxville	(43) Nashville	(43) Rural
1 C0F0S0	0 Min	0 Min	0 Min	<b>0.5285</b>	1,090.52	948.49	1,044.51	1,066.13	910.52
2 C0F0S1	0 Min	0 Min	1 Low	<b>0.6074</b>	1,258.09	1,094.23	1,205.00	1,229.95	1,050.45
3 C0F0S2	0 Min	0 Min	2 Mod	<b>1.4847</b>	3,075.21	2,674.69	2,945.45	3,006.43	2,567.61
4 C0F0S3	0 Min	0 Min	3 High	<b>1.7364</b>	3,596.55	3,128.13	3,444.79	3,516.11	3,002.90
5 C0F1S0	0 Min	1 Low	0 Min	<b>0.6213</b>	1,286.88	1,119.27	1,232.58	1,258.10	1,074.45
6 C0F1S1	0 Min	1 Low	1 Low	<b>0.7022</b>	1,454.45	1,265.02	1,393.07	1,421.91	1,214.37
7 C0F1S2	0 Min	1 Low	2 Mod	<b>1.5796</b>	3,271.78	2,845.66	3,133.72	3,198.60	2,731.73
8 C0F1S3	0 Min	1 Low	3 High	<b>1.8313</b>	3,793.12	3,299.09	3,633.06	3,708.27	3,167.01
9 C0F2S0	0 Min	2 Mod	0 Min	<b>0.7249</b>	1,501.46	1,305.91	1,438.11	1,467.88	1,253.65
10 C0F2S1	0 Min	2 Mod	1 Low	<b>0.8058</b>	1,669.03	1,451.65	1,598.60	1,631.70	1,393.55
11 C0F2S2	0 Min	2 Mod	2 Mod	<b>1.6831</b>	3,486.15	3,032.11	3,339.05	3,408.18	2,910.72
12 C0F2S3	0 Min	2 Mod	3 High	<b>1.9348</b>	4,007.49	3,485.55	3,838.39	3,917.85	3,346.00
13 C0F3S0	0 Min	3 High	0 Min	<b>0.7629</b>	1,580.17	1,374.37	1,513.49	1,544.83	1,319.32
14 C0F3S1	0 Min	3 High	1 Low	<b>0.8438</b>	1,747.74	1,520.11	1,673.99	1,708.64	1,459.25
15 C0F3S2	0 Min	3 High	2 Mod	<b>1.7212</b>	3,565.07	3,100.75	3,414.63	3,485.33	2,976.61
16 C0F3S3	0 Min	3 High	3 High	<b>1.9728</b>	4,086.20	3,554.01	3,913.77	3,994.80	3,411.72
17 C0F4S0	0 Min	4 Max	0 Min	<b>0.9305</b>	1,927.32	1,676.30	1,845.99	1,884.21	1,609.15
18 C0F4S1	0 Min	4 Max	1 Low	<b>1.0114</b>	2,094.88	1,822.04	2,006.48	2,048.02	1,749.10
19 C0F4S2	0 Min	4 Max	2 Mod	<b>1.8887</b>	3,912.01	3,402.50	3,746.93	3,824.50	3,266.25
20 C0F4S3	0 Min	4 Max	3 High	<b>2.1404</b>	4,433.35	3,855.94	4,246.27	4,334.18	3,701.57
21 C1F0S0	1 Low	0 Min	0 Min	<b>0.6221</b>	1,288.54	1,120.72	1,234.16	1,259.72	1,075.85
22 C1F0S1	1 Low	0 Min	1 Low	<b>0.7030</b>	1,456.10	1,266.46	1,394.66	1,423.53	1,215.75
23 C1F0S2	1 Low	0 Min	2 Mod	<b>1.5803</b>	3,273.23	2,846.92	3,135.11	3,200.01	2,732.94
24 C1F0S3	1 Low	0 Min	3 High	<b>1.8320</b>	3,794.57	3,300.36	3,634.44	3,709.69	3,168.22
25 C1F1S0	1 Low	1 Low	0 Min	<b>0.7169</b>	1,484.89	1,291.50	1,422.23	1,451.68	1,239.75
26 C1F1S1	1 Low	1 Low	1 Low	<b>0.7978</b>	1,652.46	1,437.24	1,582.73	1,615.50	1,379.70
27 C1F1S2	1 Low	1 Low	2 Mod	<b>1.6752</b>	3,469.79	3,017.88	3,323.37	3,392.18	2,897.05
28 C1F1S3	1 Low	1 Low	3 High	<b>1.9269</b>	3,991.13	3,471.32	3,822.71	3,901.86	3,332.34
29 C1F2S0	1 Low	2 Mod	0 Min	<b>0.8205</b>	1,699.48	1,478.13	1,627.76	1,661.46	1,418.95
30 C1F2S1	1 Low	2 Mod	1 Low	<b>0.9014</b>	1,867.04	1,623.88	1,788.26	1,825.28	1,558.85
31 C1F2S2	1 Low	2 Mod	2 Mod	<b>1.7787</b>	3,684.17	3,204.34	3,528.70	3,601.76	3,076.05
32 C1F2S3	1 Low	2 Mod	3 High	<b>2.0304</b>	4,205.51	3,657.77	4,028.04	4,111.44	3,511.35
33 C1F3S0	1 Low	3 High	0 Min	<b>0.8585</b>	1,778.19	1,546.59	1,703.15	1,738.41	1,484.67
34 C1F3S1	1 Low	3 High	1 Low	<b>0.9394</b>	1,945.75	1,692.33	1,863.64	1,902.23	1,624.55
35 C1F3S2	1 Low	3 High	2 Mod	<b>1.8168</b>	3,763.08	3,272.97	3,604.29	3,678.91	3,141.94
36 C1F3S3	1 Low	3 High	3 High	<b>2.0684</b>	4,284.21	3,726.23	4,103.43	4,188.39	3,577.05
37 C1F4S0	1 Low	4 Max	0 Min	<b>1.0261</b>	2,125.33	1,848.52	2,035.65	2,077.79	1,774.52
38 C1F4S1	1 Low	4 Max	1 Low	<b>1.1070</b>	2,292.90	1,994.26	2,196.14	2,241.61	1,914.42
39 C1F4S2	1 Low	4 Max	2 Mod	<b>1.9843</b>	4,110.02	3,574.72	3,936.59	4,018.09	3,431.61
40 C1F4S3	1 Low	4 Max	3 High	<b>2.2360</b>	4,631.36	4,028.16	4,435.93	4,527.77	3,866.85
41 C2F0S0	2 Mod	0 Min	0 Min	<b>0.7965</b>	1,649.77	1,434.90	1,580.15	1,612.86	1,377.45
42 C2F0S1	2 Mod	0 Min	1 Low	<b>0.8774</b>	1,817.33	1,580.64	1,740.64	1,776.68	1,517.35
43 C2F0S2	2 Mod	0 Min	2 Mod	<b>1.7548</b>	3,634.66	3,161.28	3,481.29	3,553.36	3,034.72
44 C2F0S3	2 Mod	0 Min	3 High	<b>2.0065</b>	4,156.00	3,614.72	3,980.63	4,063.04	3,470.00
45 C2F1S0	2 Mod	1 Low	0 Min	<b>0.8914</b>	1,846.33	1,605.86	1,768.42	1,805.03	1,541.57
46 C2F1S1	2 Mod	1 Low	1 Low	<b>0.9723</b>	2,013.90	1,751.60	1,928.91	1,968.85	1,681.45
47 C2F1S2	2 Mod	1 Low	2 Mod	<b>1.8496</b>	3,831.02	3,332.06	3,669.36	3,745.33	3,198.65
48 C2F1S3	2 Mod	1 Low	3 High	<b>2.1013</b>	4,352.36	3,785.50	4,168.70	4,255.01	3,633.95
49 C2F2S0	2 Mod	2 Mod	0 Min	<b>0.9949</b>	2,060.71	1,792.32	1,973.75	2,014.61	1,720.55
50 C2F2S1	2 Mod	2 Mod	1 Low	<b>1.0758</b>	2,228.27	1,938.06	2,134.24	2,178.43	1,860.47
51 C2F2S2	2 Mod	2 Mod	2 Mod	<b>1.9532</b>	4,045.60	3,518.70	3,874.89	3,955.11	3,377.85
52 C2F2S3	2 Mod	2 Mod	3 High	<b>2.2048</b>	4,566.74	3,971.96	4,374.03	4,464.59	3,812.94
53 C2F3S0	2 Mod	3 High	0 Min	<b>1.0329</b>	2,139.41	1,860.77	2,049.14	2,091.56	1,786.25
54 C2F3S1	2 Mod	3 High	1 Low	<b>1.1139</b>	2,307.19	2,006.70	2,209.83	2,255.58	1,926.35
55 C2F3S2	2 Mod	3 High	2 Mod	<b>1.9912</b>	4,124.31	3,587.15	3,950.28	4,032.06	3,443.54
56 C2F3S3	2 Mod	3 High	3 High	<b>2.2429</b>	4,645.65	4,040.59	4,449.62	4,541.74	3,878.85
57 C2F4S0	2 Mod	4 Max	0 Min	<b>1.2005</b>	2,486.56	2,162.71	2,381.63	2,430.94	2,076.12
58 C2F4S1	2 Mod	4 Max	1 Low	<b>1.2814</b>	2,654.13	2,308.45	2,542.13	2,594.76	2,216.05
59 C2F4S2	2 Mod	4 Max	2 Mod	<b>2.1588</b>	4,471.46	3,889.09	4,282.77	4,371.44	3,733.35
60 C2F4S3	2 Mod	4 Max	3 High	<b>2.4105</b>	4,992.80	4,342.53	4,782.11	4,881.12	4,168.67
61 C3F0S0	3 High	0 Min	0 Min	<b>1.1973</b>	2,479.93	2,156.94	2,375.28	2,424.46	2,070.55
62 C3F0S1	3 High	0 Min	1 Low	<b>1.2782</b>	2,647.50	2,302.68	2,535.78	2,588.28	2,210.45
63 C3F0S2	3 High	0 Min	2 Mod	<b>2.1556</b>	4,464.83	3,883.32	4,276.42	4,364.96	3,727.85
64 C3F0S3	3 High	0 Min	3 High	<b>2.4073</b>	4,986.17	4,336.76	4,775.76	4,874.64	4,163.14
65 C3F1S0	3 High	1 Low	0 Min	<b>1.2922</b>	2,676.50	2,327.90	2,563.55	2,616.63	2,234.71
66 C3F1S1	3 High	1 Low	1 Low	<b>1.3731</b>	2,844.06	2,473.65	2,724.05	2,780.44	2,374.61
67 C3F1S2	3 High	1 Low	2 Mod	<b>2.2504</b>	4,661.19	4,054.10	4,464.49	4,556.92	3,891.80
68 C3F1S3	3 High	1 Low	3 High	<b>2.5021</b>	5,182.52	4,507.54	4,963.83	5,066.60	4,327.05
69 C3F2S0	3 High	2 Mod	0 Min	<b>1.3957</b>	2,890.87	2,514.36	2,768.88	2,826.21	2,413.77
70 C3F2S1	3 High	2 Mod	1 Low	<b>1.4766</b>	3,058.44	2,660.10	2,929.38	2,990.03	2,553.60
71 C3F2S2	3 High	2 Mod	2 Mod	<b>2.3540</b>	4,875.77	4,240.74	4,670.02	4,766.71	4,070.95
72 C3F2S3	3 High	2 Mod	3 High	<b>2.6056</b>	5,396.90	4,694.00	5,169.16	5,276.18	4,506.07
73 C3F3S0	3 High	3 High	0 Min	<b>1.4337</b>	2,969.58	2,582.82	2,844.27	2,903.16	2,479.41
74 C3F3S1	3 High	3 High	1 Low	<b>1.5147</b>	3,137.35	2,728.74	3,004.96	3,067.18	2,619.45
75 C3F3S2	3 High	3 High	2 Mod	<b>2.3920</b>	4,954.48	4,309.20	4,745.41	4,843.66	4,136.65
76 C3F3S3	3 High	3 High	3 High	<b>2.6437</b>	5,475.82	4,762.64	5,244.75	5,353.33	4,571.95
77 C3F4S0	3 High	4 Max	0 Min	<b>1.6013</b>	3,316.72	2,884.75	3,176.77	3,242.54	2,769.25
78 C3F4S1	3 High	4 Max	1 Low	<b>1.6822</b>	3,484.29	3,030.49	3,337.26	3,406.35	2,909.15
79 C3F4S2	3 High	4 Max	2 Mod	<b>2.5596</b>	5,301.62	4,611.13	5,077.91	5,183.04	4,426.52
80 C3F4S3	3 High	4 Max	3 High	<b>2.8113</b>	5,822.96	5,064.57	5,577.25	5,692.71	4,861.81

<b>LOUISIANA</b>										
	<b>Rural</b>					<b>New</b>				
	<u>Louisiana</u>	<u>Alexandria</u>	<u>Rouge</u>	<u>Houma</u>	<u>Lafayette</u>	<u>Charles</u>	<u>Monroe</u>	<u>Orleans</u>	<u>Shreveport</u>	
<b>Standard Per Visit Rate - Skilled Nursing</b>	100.000%	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79
Labor Portion	77.668%	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40
Wage Index		<u>0.7382</u>	<u>0.7870</u>	<u>0.8708</u>	<u>0.7837</u>	<u>0.8340</u>	<u>0.7967</u>	<u>0.8222</u>	<u>0.9090</u>	<u>0.9050</u>
Wage Adjusted Labor		54.92	58.55	64.79	58.31	62.05	59.27	61.17	67.63	67.33
Non Labor Portion	22.332%	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39
<b>Wage Adjusted Standardized SNC Rate</b>		<b><u>76.31</u></b>	<b><u>79.94</u></b>	<b><u>86.18</u></b>	<b><u>79.70</u></b>	<b><u>83.44</u></b>	<b><u>80.66</u></b>	<b><u>82.56</u></b>	<b><u>89.02</u></b>	<b><u>88.72</u></b>
<b>Standard Per Visit Rate - Physical Therapy</b>		<u>104.74</u>	104.74	104.74	104.74	104.74	104.74	104.74	104.74	104.74
Labor Portion		81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35
Wage Index		<u>0.7382</u>	<u>0.7870</u>	<u>0.8708</u>	<u>0.7837</u>	<u>0.8340</u>	<u>0.7967</u>	<u>0.8222</u>	<u>0.9090</u>	<u>0.9050</u>
Wage Adjusted Labor		60.05	64.02	70.84	63.75	67.85	64.81	66.89	73.95	73.62
Non Labor Portion		<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>
<b>Wage Adjusted Standardized PT Rate</b>		<b><u>83.44</u></b>	<b><u>87.41</u></b>	<b><u>94.23</u></b>	<b><u>87.14</u></b>	<b><u>91.24</u></b>	<b><u>88.20</u></b>	<b><u>90.28</u></b>	<b><u>97.34</u></b>	<b><u>97.01</u></b>
<b>Standard Per Visit Rate - Occupational Therapy</b>		<u>105.44</u>	105.44	105.44	105.44	105.44	105.44	105.44	105.44	105.44
Labor Portion		81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89
Wage Index		<u>0.7382</u>	<u>0.7870</u>	<u>0.8708</u>	<u>0.7837</u>	<u>0.8340</u>	<u>0.7967</u>	<u>0.8222</u>	<u>0.9090</u>	<u>0.9050</u>
Wage Adjusted Labor		60.45	64.45	71.31	64.18	68.30	65.24	67.33	74.44	74.11
Non Labor Portion		<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>
<b>Wage Adjusted Standardized OT Rate</b>		<b><u>84.00</u></b>	<b><u>88.00</u></b>	<b><u>94.86</u></b>	<b><u>87.73</u></b>	<b><u>91.85</u></b>	<b><u>88.79</u></b>	<b><u>90.88</u></b>	<b><u>97.99</u></b>	<b><u>97.66</u></b>
<b>Standard Per Visit Rate - Speech Pathology</b>		<u>113.81</u>	113.81	113.81	113.81	113.81	113.81	113.81	113.81	113.81
Labor Portion		88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39
Wage Index		<u>0.7382</u>	<u>0.7870</u>	<u>0.8708</u>	<u>0.7837</u>	<u>0.8340</u>	<u>0.7967</u>	<u>0.8222</u>	<u>0.9090</u>	<u>0.9050</u>
Wage Adjusted Labor		65.25	69.57	76.97	69.27	73.72	70.42	72.68	80.35	80.00
Non Labor Portion		<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>
<b>Wage Adjusted Standardized SP Rate</b>		<b><u>90.67</u></b>	<b><u>94.98</u></b>	<b><u>102.39</u></b>	<b><u>94.69</u></b>	<b><u>99.14</u></b>	<b><u>95.84</u></b>	<b><u>98.09</u></b>	<b><u>105.77</u></b>	<b><u>105.41</u></b>
<b>Standard Per Visit Rate - Medical Social Services</b>		<u>153.55</u>	153.55	153.55	153.55	153.55	153.55	153.55	153.55	153.55
Labor Portion		119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26
Wage Index		<u>0.7382</u>	<u>0.7870</u>	<u>0.8708</u>	<u>0.7837</u>	<u>0.8340</u>	<u>0.7967</u>	<u>0.8222</u>	<u>0.9090</u>	<u>0.9050</u>
Wage Adjusted Labor		88.04	93.86	103.85	93.46	99.46	95.01	98.05	108.41	107.93
Non Labor Portion		<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>
<b>Wage Adjusted Standardized MSW Rate</b>		<b><u>122.33</u></b>	<b><u>128.15</u></b>	<b><u>138.14</u></b>	<b><u>127.75</u></b>	<b><u>133.75</u></b>	<b><u>129.30</u></b>	<b><u>132.35</u></b>	<b><u>142.70</u></b>	<b><u>142.22</u></b>
<b>Standard Per Visit Rate - Home Health Aide</b>		<u>43.37</u>	43.37	43.37	43.37	43.37	43.37	43.37	43.37	43.37
Labor Portion		33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68
Wage Index		<u>0.7382</u>	<u>0.7870</u>	<u>0.8708</u>	<u>0.7837</u>	<u>0.8340</u>	<u>0.7967</u>	<u>0.8222</u>	<u>0.9090</u>	<u>0.9050</u>
Wage Adjusted Labor		24.87	26.51	29.33	26.40	28.09	26.84	27.70	30.62	30.48
Non Labor Portion		<u>9.69</u>	<u>9.69</u>	<u>9.69</u>	<u>9.69</u>	<u>9.69</u>	<u>9.69</u>	<u>9.69</u>	<u>9.69</u>	<u>9.69</u>
<b>Wage Adjusted Standardized HHA Rate</b>		<b><u>34.55</u></b>	<b><u>36.20</u></b>	<b><u>39.02</u></b>	<b><u>36.08</u></b>	<b><u>37.78</u></b>	<b><u>36.52</u></b>	<b><u>37.38</u></b>	<b><u>40.30</u></b>	<b><u>40.17</u></b>

**CALC**  
**Used for Determining Out**

		Amarillo	Austin	Beaumont	Brazoria	Brownsville	Bryan	Corpus	Dallas	El Paso
<b>Standard Per Visit Rate - Skilled Nursing</b>	100.000%	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79
Labor Portion	77.668%	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40
Wage Index		<u>0.8180</u>	<u>0.9082</u>	<u>0.8624</u>	<u>0.8517</u>	<u>0.9213</u>	<u>0.8510</u>	<u>0.8702</u>	<u>0.9607</u>	<u>0.8948</u>
Wage Adjusted Labor		60.86	67.57	64.16	63.36	68.54	63.31	64.74	71.47	66.57
Non Labor Portion	22.332%	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39
<b>Wage Adjusted Standardized SNC Rate</b>		<b><u>82.25</u></b>	<b><u>88.96</u></b>	<b><u>85.55</u></b>	<b><u>84.76</u></b>	<b><u>89.93</u></b>	<b><u>84.70</u></b>	<b><u>86.13</u></b>	<b><u>92.87</u></b>	<b><u>87.96</u></b>
<b>Standard Per Visit Rate - Physical Therapy</b>		104.74	104.74	104.74	104.74	104.74	104.74	104.74	104.74	104.74
Labor Portion		81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35
Wage Index		<u>0.8180</u>	<u>0.9082</u>	<u>0.8624</u>	<u>0.8517</u>	<u>0.9213</u>	<u>0.8510</u>	<u>0.8702</u>	<u>0.9607</u>	<u>0.8948</u>
Wage Adjusted Labor		66.54	73.88	70.16	69.29	74.95	69.23	70.79	78.15	72.79
Non Labor Portion		23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39
<b>Wage Adjusted Standardized PT Rate</b>		<b><u>89.93</u></b>	<b><u>97.27</u></b>	<b><u>93.55</u></b>	<b><u>92.68</u></b>	<b><u>98.34</u></b>	<b><u>92.62</u></b>	<b><u>94.18</u></b>	<b><u>101.54</u></b>	<b><u>96.18</u></b>
<b>Standard Per Visit Rate - Occupational Therapy</b>		105.44	105.44	105.44	105.44	105.44	105.44	105.44	105.44	105.44
Labor Portion		81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89
Wage Index		<u>0.8180</u>	<u>0.9082</u>	<u>0.8624</u>	<u>0.8517</u>	<u>0.9213</u>	<u>0.8510</u>	<u>0.8702</u>	<u>0.9607</u>	<u>0.8948</u>
Wage Adjusted Labor		66.99	74.38	70.62	69.75	75.45	69.69	71.26	78.67	73.28
Non Labor Portion		23.55	23.55	23.55	23.55	23.55	23.55	23.55	23.55	23.55
<b>Wage Adjusted Standardized OT Rate</b>		<b><u>90.54</u></b>	<b><u>97.92</u></b>	<b><u>94.17</u></b>	<b><u>93.30</u></b>	<b><u>99.00</u></b>	<b><u>93.24</u></b>	<b><u>94.81</u></b>	<b><u>102.22</u></b>	<b><u>96.82</u></b>
<b>Standard Per Visit Rate - Speech Pathology</b>		113.81	113.81	113.81	113.81	113.81	113.81	113.81	113.81	113.81
Labor Portion		88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39
Wage Index		<u>0.8180</u>	<u>0.9082</u>	<u>0.8624</u>	<u>0.8517</u>	<u>0.9213</u>	<u>0.8510</u>	<u>0.8702</u>	<u>0.9607</u>	<u>0.8948</u>
Wage Adjusted Labor		72.31	80.28	76.23	75.29	81.44	75.22	76.92	84.92	79.09
Non Labor Portion		25.42	25.42	25.42	25.42	25.42	25.42	25.42	25.42	25.42
<b>Wage Adjusted Standardized SP Rate</b>		<b><u>97.72</u></b>	<b><u>105.70</u></b>	<b><u>101.65</u></b>	<b><u>100.70</u></b>	<b><u>106.85</u></b>	<b><u>100.64</u></b>	<b><u>102.34</u></b>	<b><u>110.34</u></b>	<b><u>104.51</u></b>
<b>Standard Per Visit Rate - Medical Social Services</b>		153.55	153.55	153.55	153.55	153.55	153.55	153.55	153.55	153.55
Labor Portion		119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26
Wage Index		<u>0.8180</u>	<u>0.9082</u>	<u>0.8624</u>	<u>0.8517</u>	<u>0.9213</u>	<u>0.8510</u>	<u>0.8702</u>	<u>0.9607</u>	<u>0.8948</u>
Wage Adjusted Labor		97.55	108.31	102.85	101.57	109.87	101.49	103.78	114.57	106.71
Non Labor Portion		34.29	34.29	34.29	34.29	34.29	34.29	34.29	34.29	34.29
<b>Wage Adjusted Standardized MSW Rate</b>		<b><u>131.84</u></b>	<b><u>142.60</u></b>	<b><u>137.14</u></b>	<b><u>135.86</u></b>	<b><u>144.16</u></b>	<b><u>135.78</u></b>	<b><u>138.07</u></b>	<b><u>148.86</u></b>	<b><u>141.00</u></b>
<b>Standard Per Visit Rate - Home Health Aide</b>		43.37	43.37	43.37	43.37	43.37	43.37	43.37	43.37	43.37
Labor Portion		33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68
Wage Index		<u>0.8180</u>	<u>0.9082</u>	<u>0.8624</u>	<u>0.8517</u>	<u>0.9213</u>	<u>0.8510</u>	<u>0.8702</u>	<u>0.9607</u>	<u>0.8948</u>
Wage Adjusted Labor		27.55	30.59	29.05	28.69	31.03	28.67	29.31	32.36	30.14
Non Labor Portion		9.69	9.69	9.69	9.69	9.69	9.69	9.69	9.69	9.69
<b>Wage Adjusted Standardized HHA Rate</b>		<b><u>37.24</u></b>	<b><u>40.28</u></b>	<b><u>38.73</u></b>	<b><u>38.37</u></b>	<b><u>40.72</u></b>	<b><u>38.35</u></b>	<b><u>39.00</u></b>	<b><u>42.05</u></b>	<b><u>39.83</u></b>



**ULATION OF STANDARD PER VISIT RATE  
 Higher Payments & Low Utilization Payment Adjustment (LUPA)**

	<b>T E X A S</b>									
	Killeen									Odessa
	Ft Worth	Galveston	Houston	Temple	Laredo	Longview	Lubbock	McAllen	Midland	
<b>Standard Per Visit Rate - Skilled Nursing</b>	100.000%	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79
Labor Portion	77.668%	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40
Wage Index		<u>0.9836</u>	<u>0.9733</u>	<u>0.9388</u>	<u>0.9933</u>	<u>0.8323</u>	<u>0.8739</u>	<u>0.8412</u>	<u>0.8121</u>	<u>0.8874</u>
Wage Adjusted Labor		73.18	72.41	69.85	73.90	61.92	65.02	62.58	60.42	66.02
Non Labor Portion	22.332%	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39
<b>Wage Adjusted Standardized SNC Rate</b>		<b><u>94.57</u></b>	<b><u>93.80</u></b>	<b><u>91.24</u></b>	<b><u>95.29</u></b>	<b><u>83.31</u></b>	<b><u>86.41</u></b>	<b><u>83.98</u></b>	<b><u>81.81</u></b>	<b><u>87.41</u></b>
<b>Standard Per Visit Rate - Physical Therapy</b>		104.74	104.74	104.74	104.74	104.74	104.74	104.74	104.74	104.74
Labor Portion		81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35
Wage Index		<u>0.9836</u>	<u>0.9733</u>	<u>0.9388</u>	<u>0.9933</u>	<u>0.8323</u>	<u>0.8739</u>	<u>0.8412</u>	<u>0.8121</u>	<u>0.8874</u>
Wage Adjusted Labor		80.02	79.18	76.37	80.80	67.71	71.09	68.43	66.06	72.19
Non Labor Portion		23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39
<b>Wage Adjusted Standardized PT Rate</b>		<b><u>103.41</u></b>	<b><u>102.57</u></b>	<b><u>99.76</u></b>	<b><u>104.19</u></b>	<b><u>91.10</u></b>	<b><u>94.48</u></b>	<b><u>91.82</u></b>	<b><u>89.45</u></b>	<b><u>95.58</u></b>
<b>Standard Per Visit Rate - Occupational Therapy</b>		105.44	105.44	105.44	105.44	105.44	105.44	105.44	105.44	105.44
Labor Portion		81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89
Wage Index		<u>0.9836</u>	<u>0.9733</u>	<u>0.9388</u>	<u>0.9933</u>	<u>0.8323</u>	<u>0.8739</u>	<u>0.8412</u>	<u>0.8121</u>	<u>0.8874</u>
Wage Adjusted Labor		80.55	79.71	76.88	81.34	68.16	71.57	68.89	66.51	72.67
Non Labor Portion		23.55	23.55	23.55	23.55	23.55	23.55	23.55	23.55	23.55
<b>Wage Adjusted Standardized OT Rate</b>		<b><u>104.10</u></b>	<b><u>103.25</u></b>	<b><u>100.43</u></b>	<b><u>104.89</u></b>	<b><u>91.71</u></b>	<b><u>95.11</u></b>	<b><u>92.44</u></b>	<b><u>90.05</u></b>	<b><u>96.22</u></b>
<b>Standard Per Visit Rate - Speech Pathology</b>		113.81	113.81	113.81	113.81	113.81	113.81	113.81	113.81	113.81
Labor Portion		88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39
Wage Index		<u>0.9836</u>	<u>0.9733</u>	<u>0.9388</u>	<u>0.9933</u>	<u>0.8323</u>	<u>0.8739</u>	<u>0.8412</u>	<u>0.8121</u>	<u>0.8874</u>
Wage Adjusted Labor		86.94	86.03	82.98	87.80	73.57	77.25	74.36	71.78	78.44
Non Labor Portion		25.42	25.42	25.42	25.42	25.42	25.42	25.42	25.42	25.42
<b>Wage Adjusted Standardized SP Rate</b>		<b><u>112.36</u></b>	<b><u>111.45</u></b>	<b><u>108.40</u></b>	<b><u>113.22</u></b>	<b><u>98.99</u></b>	<b><u>102.66</u></b>	<b><u>99.77</u></b>	<b><u>97.20</u></b>	<b><u>103.86</u></b>
<b>Standard Per Visit Rate - Medical Social Services</b>		153.55	153.55	153.55	153.55	153.55	153.55	153.55	153.55	153.55
Labor Portion		119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26
Wage Index		<u>0.9836</u>	<u>0.9733</u>	<u>0.9388</u>	<u>0.9933</u>	<u>0.8323</u>	<u>0.8739</u>	<u>0.8412</u>	<u>0.8121</u>	<u>0.8874</u>
Wage Adjusted Labor		117.30	116.07	111.96	118.46	99.26	104.22	100.32	96.85	105.83
Non Labor Portion		34.29	34.29	34.29	34.29	34.29	34.29	34.29	34.29	34.29
<b>Wage Adjusted Standardized MSW Rate</b>		<b><u>151.59</u></b>	<b><u>150.37</u></b>	<b><u>146.25</u></b>	<b><u>152.75</u></b>	<b><u>133.55</u></b>	<b><u>138.51</u></b>	<b><u>134.61</u></b>	<b><u>131.14</u></b>	<b><u>140.12</u></b>
<b>Standard Per Visit Rate - Home Health Aide</b>		43.37	43.37	43.37	43.37	43.37	43.37	43.37	43.37	43.37
Labor Portion		33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68
Wage Index		<u>0.9836</u>	<u>0.9733</u>	<u>0.9388</u>	<u>0.9933</u>	<u>0.8323</u>	<u>0.8739</u>	<u>0.8412</u>	<u>0.8121</u>	<u>0.8874</u>
Wage Adjusted Labor		33.13	32.79	31.62	33.46	28.04	29.44	28.34	27.36	29.89
Non Labor Portion		9.69	9.69	9.69	9.69	9.69	9.69	9.69	9.69	9.69
<b>Wage Adjusted Standardized HHA Rate</b>		<b><u>42.82</u></b>	<b><u>42.47</u></b>	<b><u>41.31</u></b>	<b><u>43.14</u></b>	<b><u>37.72</u></b>	<b><u>39.12</u></b>	<b><u>38.02</u></b>	<b><u>37.04</u></b>	<b><u>39.58</u></b>

		San	San			Wichita		RURAL	
		Angelo	Antonio	Sherman	Tyler	Waco	Falls	Texarkana	TEXAS
<b>Standard Per Visit Rate - Skilled Nursing</b>	100.000%	95.79	95.79	95.79	95.79	95.79	95.79	95.79	95.79
Labor Portion	77.668%	74.40	74.40	74.40	74.40	74.40	74.40	74.40	74.40
Wage Index		<u>0.7846</u>	<u>0.8318</u>	<u>0.9330</u>	<u>0.9370</u>	<u>0.8076</u>	<u>0.7653</u>	<u>0.8136</u>	<u>0.7471</u>
Wage Adjusted Labor		58.37	61.88	69.41	69.71	60.08	56.94	60.53	55.58
Non Labor Portion	22.332%	21.39	21.39	21.39	21.39	21.39	21.39	21.39	21.39
<b>Wage Adjusted Standardized SNC Rate</b>		<b><u>79.76</u></b>	<b><u>83.28</u></b>	<b><u>90.81</u></b>	<b><u>91.10</u></b>	<b><u>81.48</u></b>	<b><u>78.33</u></b>	<b><u>81.92</u></b>	<b><u>76.97</u></b>
<b>Standard Per Visit Rate - Physical Therapy</b>		104.74	104.74	104.74	104.74	104.74	104.74	104.74	104.74
Labor Portion		81.35	81.35	81.35	81.35	81.35	81.35	81.35	81.35
Wage Index		<u>0.7846</u>	<u>0.8318</u>	<u>0.9330</u>	<u>0.9370</u>	<u>0.8076</u>	<u>0.7653</u>	<u>0.8136</u>	<u>0.7471</u>
Wage Adjusted Labor		63.83	67.67	75.90	76.22	65.70	62.26	66.19	60.78
Non Labor Portion		<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>	<u>23.39</u>
<b>Wage Adjusted Standardized PT Rate</b>		<b><u>87.22</u></b>	<b><u>91.06</u></b>	<b><u>99.29</u></b>	<b><u>99.61</u></b>	<b><u>89.09</u></b>	<b><u>85.65</u></b>	<b><u>89.58</u></b>	<b><u>84.17</u></b>
<b>Standard Per Visit Rate - Occupational Therapy</b>		105.44	105.44	105.44	105.44	105.44	105.44	105.44	105.44
Labor Portion		81.89	81.89	81.89	81.89	81.89	81.89	81.89	81.89
Wage Index		<u>0.7846</u>	<u>0.8318</u>	<u>0.9330</u>	<u>0.9370</u>	<u>0.8076</u>	<u>0.7653</u>	<u>0.8136</u>	<u>0.7471</u>
Wage Adjusted Labor		64.25	68.12	76.41	76.73	66.14	62.67	66.63	61.18
Non Labor Portion		<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>	<u>23.55</u>
<b>Wage Adjusted Standardized OT Rate</b>		<b><u>87.80</u></b>	<b><u>91.67</u></b>	<b><u>99.95</u></b>	<b><u>100.28</u></b>	<b><u>89.68</u></b>	<b><u>86.22</u></b>	<b><u>90.18</u></b>	<b><u>84.73</u></b>
<b>Standard Per Visit Rate - Speech Pathology</b>		113.81	113.81	113.81	113.81	113.81	113.81	113.81	113.81
Labor Portion		88.39	88.39	88.39	88.39	88.39	88.39	88.39	88.39
Wage Index		<u>0.7846</u>	<u>0.8318</u>	<u>0.9330</u>	<u>0.9370</u>	<u>0.8076</u>	<u>0.7653</u>	<u>0.8136</u>	<u>0.7471</u>
Wage Adjusted Labor		69.35	73.53	82.47	82.83	71.39	67.65	71.92	66.04
Non Labor Portion		<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>	<u>25.42</u>
<b>Wage Adjusted Standardized SP Rate</b>		<b><u>94.77</u></b>	<b><u>98.94</u></b>	<b><u>107.89</u></b>	<b><u>108.24</u></b>	<b><u>96.80</u></b>	<b><u>93.06</u></b>	<b><u>97.33</u></b>	<b><u>91.46</u></b>
<b>Standard Per Visit Rate - Medical Social Services</b>		153.55	153.55	153.55	153.55	153.55	153.55	153.55	153.55
Labor Portion		119.26	119.26	119.26	119.26	119.26	119.26	119.26	119.26
Wage Index		<u>0.7846</u>	<u>0.8318</u>	<u>0.9330</u>	<u>0.9370</u>	<u>0.8076</u>	<u>0.7653</u>	<u>0.8136</u>	<u>0.7471</u>
Wage Adjusted Labor		93.57	99.20	111.27	111.75	96.31	91.27	97.03	89.10
Non Labor Portion		<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>	<u>34.29</u>
<b>Wage Adjusted Standardized MSW Rate</b>		<b><u>127.86</u></b>	<b><u>133.49</u></b>	<b><u>145.56</u></b>	<b><u>146.04</u></b>	<b><u>130.60</u></b>	<b><u>125.56</u></b>	<b><u>131.32</u></b>	<b><u>123.39</u></b>
<b>Standard Per Visit Rate - Home Health Aide</b>		43.37	43.37	43.37	43.37	43.37	43.37	43.37	43.37
Labor Portion		33.68	33.68	33.68	33.68	33.68	33.68	33.68	33.68
Wage Index		<u>0.7846</u>	<u>0.8318</u>	<u>0.9330</u>	<u>0.9370</u>	<u>0.8076</u>	<u>0.7653</u>	<u>0.8136</u>	<u>0.7471</u>
Wage Adjusted Labor		26.43	28.02	31.43	31.56	27.20	25.78	27.41	25.17
Non Labor Portion		9.69	9.69	9.69	9.69	9.69	9.69	9.69	9.69
<b>Wage Adjusted Standardized HHA Rate</b>		<b><u>36.11</u></b>	<b><u>37.70</u></b>	<b><u>41.11</u></b>	<b><u>41.25</u></b>	<b><u>36.89</u></b>	<b><u>35.46</u></b>	<b><u>37.09</u></b>	<b><u>34.85</u></b>

<b>ARKANSAS</b>			
RURAL			
		<u>ARKANSAS</u>	<u>NATIONAL</u>
<b><u>Standard Per Visit Rate - Skilled Nursing</u></b>	100.000%	95.79	95.79
Labor Portion	77.668%	74.40	74.40
Wage Index		<u>0.7236</u>	<u>1.0000</u>
Wage Adjusted Labor		53.83	74.40
Non Labor Portion	<u>22.332%</u>	<u>21.39</u>	<u>21.39</u>
<b>Wage Adjusted Standardized SNC Rate</b>		<b><u>75.23</u></b>	<b><u>95.79</u></b>
<b><u>Standard Per Visit Rate - Physical Therapy</u></b>		104.74	104.74
Labor Portion		81.35	81.35
Wage Index		<u>0.7236</u>	<u>1.0000</u>
Wage Adjusted Labor		58.86	81.35
Non Labor Portion		<u>23.39</u>	<u>23.39</u>
<b>Wage Adjusted Standardized PT Rate</b>		<b><u>82.26</u></b>	<b><u>104.74</u></b>
<b><u>Standard Per Visit Rate - Occupational Therapy</u></b>		105.44	105.44
Labor Portion		81.89	81.89
Wage Index		<u>0.7236</u>	<u>1.0000</u>
Wage Adjusted Labor		59.26	81.89
Non Labor Portion		<u>23.55</u>	<u>23.55</u>
<b>Wage Adjusted Standardized OT Rate</b>		<b><u>82.80</u></b>	<b><u>105.44</u></b>
<b><u>Standard Per Visit Rate - Speech Pathology</u></b>		113.81	113.81
Labor Portion		88.39	88.39
Wage Index		<u>0.7236</u>	<u>1.0000</u>
Wage Adjusted Labor		63.96	88.39
Non Labor Portion		<u>25.42</u>	<u>25.42</u>
<b>Wage Adjusted Standardized SP Rate</b>		<b><u>89.38</u></b>	<b><u>113.81</u></b>
<b><u>Standard Per Visit Rate - Medical Social Services</u></b>		153.55	153.55
Labor Portion		119.26	119.26
Wage Index		<u>0.7236</u>	<u>1.0000</u>
Wage Adjusted Labor		86.30	119.26
Non Labor Portion		<u>34.29</u>	<u>34.29</u>
<b>Wage Adjusted Standardized MSW Rate</b>		<b><u>120.59</u></b>	<b><u>153.55</u></b>
<b><u>Standard Per Visit Rate - Home Health Aide</u></b>		43.37	43.37
Labor Portion		33.68	33.68
Wage Index		<u>0.7236</u>	<u>1.0000</u>
Wage Adjusted Labor		24.37	33.68
Non Labor Portion		<u>9.69</u>	<u>9.69</u>
<b>Wage Adjusted Standardized HHA Rate</b>		<b><u>34.06</u></b>	<b><u>43.37</u></b>

<b>TENNESSEE</b>
------------------

	Chattanooga	Clarksville	Knoxville	Nashville	TENNESSEE Rural
<b>Standard Per Visit Rate - Skilled Nursing</b>	100.000%	95.79	95.79	95.79	95.79
Labor Portion	77.668%	74.40	74.40	74.40	74.40
Wage Index		<u>0.9732</u>	<u>0.8090</u>	<u>0.9200</u>	<u>0.9450</u>
Wage Adjusted Labor		72.40	60.19	68.45	70.31
Non Labor Portion	22.332%	21.39	21.39	21.39	21.39
<b>Wage Adjusted Standardized SNC Rate</b>		<b><u>93.80</u></b>	<b><u>81.58</u></b>	<b><u>89.84</u></b>	<b><u>91.70</u></b>
<b>Standard Per Visit Rate - Physical Therapy</b>		104.74	104.74	104.74	104.74
Labor Portion		81.35	81.35	81.35	81.35
Wage Index		<u>0.9732</u>	<u>0.8090</u>	<u>0.9200</u>	<u>0.9450</u>
Wage Adjusted Labor		79.17	65.81	74.84	76.88
Non Labor Portion		23.39	23.39	23.39	23.39
<b>Wage Adjusted Standardized PT Rate</b>		<b><u>102.56</u></b>	<b><u>89.20</u></b>	<b><u>98.23</u></b>	<b><u>100.27</u></b>
<b>Standard Per Visit Rate - Occupational Therapy</b>		105.44	105.44	105.44	105.44
Labor Portion		81.89	81.89	81.89	81.89
Wage Index		<u>0.9732</u>	<u>0.8090</u>	<u>0.9200</u>	<u>0.9450</u>
Wage Adjusted Labor		79.70	66.25	75.34	77.39
Non Labor Portion		23.55	23.55	23.55	23.55
<b>Wage Adjusted Standardized OT Rate</b>		<b><u>103.25</u></b>	<b><u>89.80</u></b>	<b><u>98.89</u></b>	<b><u>100.94</u></b>
<b>Standard Per Visit Rate - Speech Pathology</b>		113.81	113.81	113.81	113.81
Labor Portion		88.39	88.39	88.39	88.39
Wage Index		<u>0.9732</u>	<u>0.8090</u>	<u>0.9200</u>	<u>0.9450</u>
Wage Adjusted Labor		86.02	71.51	81.32	83.53
Non Labor Portion		25.42	25.42	25.42	25.42
<b>Wage Adjusted Standardized SP Rate</b>		<b><u>111.44</u></b>	<b><u>96.93</u></b>	<b><u>106.74</u></b>	<b><u>108.95</u></b>
<b>Standard Per Visit Rate - Medical Social Services</b>		153.55	153.55	153.55	153.55
Labor Portion		119.26	119.26	119.26	119.26
Wage Index		<u>0.9732</u>	<u>0.8090</u>	<u>0.9200</u>	<u>0.9450</u>
Wage Adjusted Labor		116.06	96.48	109.72	112.70
Non Labor Portion		34.29	34.29	34.29	34.29
<b>Wage Adjusted Standardized MSW Rate</b>		<b><u>150.35</u></b>	<b><u>130.77</u></b>	<b><u>144.01</u></b>	<b><u>146.99</u></b>
<b>Standard Per Visit Rate - Home Health Aide</b>		43.37	43.37	43.37	43.37
Labor Portion		33.68	33.68	33.68	33.68
Wage Index		<u>0.9732</u>	<u>0.8090</u>	<u>0.9200</u>	<u>0.9450</u>
Wage Adjusted Labor		32.78	27.25	30.99	31.83
Non Labor Portion		9.69	9.69	9.69	9.69
<b>Wage Adjusted Standardized HHA Rate</b>		<b><u>42.47</u></b>	<b><u>36.94</u></b>	<b><u>40.68</u></b>	<b><u>41.52</u></b>