

Clay Avenue Professional Plaza 1173 Clay Avenue Scranton, PA 18510 570 961-0345 Fax: 570 961-8650 mmq.com

# Report on the Firm's System of Quality Control

January 11, 2022

To the Shareholders of Boles Metzger Brosius & Walborn, PC and the Peer Review Committee of the Pennsylvania Institute of Certified Public Accountants

We have reviewed the system of quality control for the accounting and auditing practice of Boles Metzger Brosius & Walborn, PC (the firm) in effect for the year ended June 30, 2021. Our peer review was conducted in accordance with the Standards for Performing and Reporting on Peer Reviews established by the Peer Review Board of the American Institute of Certified Public Accountants (Standards).

A summary of the nature, objectives, scope, limitations of, and the procedures performed in a System Review as described in the Standards may be found at www.aicpa.org/prsummary. The summary also includes an explanation of how engagements identified as not performed or reported in conformity with applicable professional standards, if any, are evaluated by a peer reviewer to determine a peer review rating.

#### Firm's Responsibility

The firm is responsible for designing a system of quality control and complying with it to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. The firm is also responsible for evaluating actions to promptly remediate engagements deemed as not performed or reported in conformity with professional standards, when appropriate, and for remediating weaknesses in its system of quality control, if any.

### Peer Reviewer's Responsibility

Our responsibility is to express an opinion on the design of the system of quality control and the firm's compliance therewith based on our review.



### **Required Selections and Considerations**

Engagements selected for review included an engagement performed under *Government Auditing Standards* and an audit of an employee benefit plan.

As a part of our peer review, we considered reviews by regulatory entities as communicated by the firm, if applicable, in determining the nature and extent of our procedures.

# **Opinion**

In our opinion, the system of quality control for the accounting and auditing practice of Boles Metzger Brosius & Walborn, PC in effect for the year ended June 30, 2021, has been suitably designed and complied with to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a rating of pass, pass with deficiency(ies) or fail. Boles Metzger Brosius & Walborn, PC has received a peer review rating of pass.

Me Heil Mubble Ruine

H. C. .

McGrail Merkel Quinn

& Associates, P.C.